

TEST REPORT

Test Report # 22W-016122(A1) Date of Report Issue: October 21, 2022

Date of Sample Received: October 10, 2022 Pages: Page 1 of 25

CLIENT INFORMATION:

Company: Spector & Co.

Address: testing@spectorandco.com

SAMPLE INFORMATION:

Description: 23.5 OZ/700 ml DOUBLE-WALL VACUUM INSULATED

Assortment: BLK /WHT

PO No.: PO 31789 & 72322

Item No./Name: DW323

Item Class: MEDIA BOTTLE

Factory/Supplier: USS149
Country of Origin: China

Country of Distribution: Canada, United States
Testing Period: 10/14/2022-10/21/2022

OVERALL RESULT:

PASS with information

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

Loremy. Xu

Jeremy Xu

RC-CSHZ-R063

Chemical Laboratory Supervisor

(Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1,No.1213 Huoju South Road, Puyan Subdistrict, Binjiang District, Hangzhou, China Email: Labtesting@gima.com • Tel: (86) 571 8999 7158.

Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the <u>QIMA decision rule</u>. This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.



Test Report # 22W-016122(A1) Pages: Page 2 of 25

TEST RESULTS SUMMARY:

RC-CSHZ-R063

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	California Proposition 65, Total Cadmium in Paints and Surface Coatings
PASS	California Proposition 65, Total Cadmium in Substrate Materials
Information only	Client's requirement, Total Nickel content
Information only	Client's Requirement, Total Tungsten content
PASS	Client's requirement, Bisphenol A content
PASS	CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement, Phthalates content
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets
PASS	FDA 21 CFR 177.1520, Polyethylene Homopolymer
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
PASS	FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers



Test Report # 22W-016122(A1) Pages: Page 3 of 25

DETAILED RESULTS:

California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6+7					Limit
Tost Itom	Result	Result	Result	Result	Result	(mg/kg)
Test Item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Data Consolidation Reference:

Cnosimon No	Transferre	Data of Issue	
Specimen No.	Report No.	Specimen No.	Date of Issue
6+7	22W-016117(A1)	6+7	October 21, 2022

A3



Test Report # 22W-016122(A1) Pages: Page 4 of 25

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	8	9				Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND				100
Conclusion	PASS	PASS				

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit =15 mg/kg)

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Consisson No	Transferre	Data of Issue	
Specimen No.	Report No.	Specimen No.	Date of Issue
1	22W-016119	3	October 21, 2022
3	22W-016119	1	October 21, 2022
4	22W-016117(A1)	4	October 21, 2022
5	22W-016117(A1)	5	October 21, 2022
8	22W-016117(A1)	8	October 21, 2022
9	22W-016117(A1)	9	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 5 of 25

DETAILED RESULTS:

Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6+7					Total
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND					90
Total Mercury (Hg)	ND					10
Conclusion	PASS					

Note:

RC-CSHZ-R063

mg/kg=Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit: Pb=15 mg/kg; Hg = 10 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Spacimon No	Transferre	Date of Issue	
Specimen No.	Report No.	Specimen No.	Date of issue
6+7	22W-016117(A1)	6+7	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 6 of 25

DETAILED RESULTS:

Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6+7	8	9			Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND			90
Conclusion	PASS	PASS	PASS			

Note:

RC-CSHZ-R063

mg/kg=Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Specimen No	Transferre	Date of Issue	
Specimen No.	Report No.	Specimen No.	Date of issue
1	22W-016119	3	October 21, 2022
3	22W-016119	1	October 21, 2022
4	22W-016117(A1)	4	October 21, 2022
5	22W-016117(A1)	5	October 21, 2022
6+7	22W-016117(A1)	6+7	October 21, 2022
8	22W-016117(A1)	8	October 21, 2022
9	22W-016117(A1)	9	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 7 of 25

DETAILED RESULTS:

California Proposition 65, Total Cadmium in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6+7					Limit
Tost Itom	Result	Result	Result	Result	Result	(mg/kg)
Test Item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total Cadmium (Cd)	ND					75
Conclusion	PASS					

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Cnaciman Na	Transferre	Data of Issue	
Specimen No.	Report No.	Specimen No.	Date of Issue
6+7	22W-016117(A1)	6+7	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 8 of 25

DETAILED RESULTS:

California Proposition 65, Total Cadmium in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4	5	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND	ND	ND	ND	ND	75
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	8	9				Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND	ND				75
Conclusion	PASS	PASS				

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Cnasimon Na	Transferre	Data of lasus	
Specimen No.	Report No.	Specimen No.	Date of Issue
1	22W-016119	22W-016119 3	
3	22W-016119	1	October 21, 2022
4	22W-016117(A1)	4	October 21, 2022
5	22W-016117(A1)	5	October 21, 2022
8	22W-016117(A1)	8	October 21, 2022
9	22W-016117(A1)	9	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 9 of 25

DETAILED RESULTS:

Client's requirement, Total Nickel content

Test Method: US EPA 3052:1996 & US EPA 6010D:2014

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+8+9					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Nickel(Ni)	75261					
Conclusion	Information only					

Note:

RC-CSHZ-R063

mg/kg = Milligrams per kilogram

ND = Not detected (report limit = 30 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Cooring on No	Transferre	Date of Issue	
Specimen No.	Report No.	Specimen No.	Date of issue
4+8+9	22W-016117(A1)	4+8+9	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 10 of 25

DETAILED RESULTS:

Client's Requirement, Total Tungsten content

Test Method: US EPA 3052:1996 & US EPA 6010D:2014

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+8+9					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Tungsten (W)	ND					
Conclusion	Information only					

Note:

RC-CSHZ-R063

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Cnasimon Na	Transferre	Data of Issue	
Specimen No.	Report No. Specimen No.		Date of Issue
4+8+9	22W-016117(A1)	4+8+9	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 11 of 25

DETAILED RESULTS:

Client's requirement, Bisphenol A content

Test Method: In-House Method

Analytical Method: Liquid Chromatography-Mass Spectrometer Mass Spectrometer (LC-MS/MS)

Specimer	No.	1	2	3		Client's
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	limit (mg/kg)
Bisphenol A (BPA)	80-05-7	ND	ND	ND		Not Detected
Conclus	ion	PASS	PASS	PASS		

Note:

RC-CSHZ-R063

mg/kg=milligram per kilogram

ND=Not Detected(Reporting limit = 1.0mg/kg)

Chasiman Na	Transferre	Date of Issue	
Specimen No. Report No.		Specimen No.	Date of issue
1	22W-016119	3	October 21, 2022
3	22W-016119	1	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 12 of 25

DETAILED RESULTS:

CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	1	2	3	5	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	1000
Conclusion	1	PASS	PASS	PASS	PASS	

Note:

RC-CSHZ-R063

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Spacimon No	Transferre	Date of Issue	
Specimen No.	Report No.	eport No. Specimen No.	
1	22W-016119	3	October 21, 2022
3	22W-016119	1	October 21, 2022
5	22W-016117(A1)	5	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 13 of 25

DETAILED RESULTS:

CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	6+7				Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND				1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND				1000
Diisobutyl phthalate (DIBP)	84-69-5	ND				1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND				1000
Conclusion	1	PASS				

Note:

RC-CSHZ-R063

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Data Consolidation Reference:

Specimen No.	Transferre	Date of Issue	
	Report No.	Specimen No.	Date of issue
6+7	22W-016117(A1)	6+7	October 21, 2022

A3



Test Report # 22W-016122(A1) Pages: Page 14 of 25

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	1	2	3	5	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	1000
Conclusion	1	PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Specimen No.	Transferre	Data of Issue	
	Report No.	Specimen No.	Date of Issue
1	22W-016119	3	October 21, 2022
3	22W-016119	1	October 21, 2022
5	22W-016117(A1)	5	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 15 of 25

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		6+7				Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND				1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND				1000
Conclusion	1	PASS				

Note.

mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Specimen No.	Transferre	- Date of Issue	
	Report No.	Specimen No.	Date of issue
6+7	22W-016117(A1)	6+7	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 16 of 25

DETAILED RESULTS:

RC-CSHZ-R063

Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	2	3	5	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND	ND	ND	ND	1000
Diethyl phthalate (DEP)	84-66-2	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND	ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	PASS	



Test Report # 22W-016122(A1) Pages: Page 17 of 25

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Specimen No.	Transferre	Data of Issue	
	Report No.	Specimen No.	Date of Issue
1	22W-016119	3	October 21, 2022
3	22W-016119	1	October 21, 2022
5	22W-016117(A1)	5	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 18 of 25

DETAILED RESULTS:

RC-CSHZ-R063

Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No).	6+7				Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND				1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND				1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND				1000
Diethyl phthalate (DEP)	84-66-2	ND				1000
Diisobutyl phthalate (DIBP)	84-69-5	ND				1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND				1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND				1000
Conclusion		PASS				



Test Report # 22W-016122(A1) Pages: Page 19 of 25

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Specimen No.	Transferre	Date of Issue	
	Report No.	Specimen No.	Date of issue
6+7	22W-016117(A1)	6+7	October 21, 2022



Test Report # 22W-016122(A1) Pages: Page 20 of 25

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210

Specimen No.					
Took It are	Test Condition		Dooult	RL	Limit
Test Item	Temp.	Duration	Result		
Distilled water extractive (mg/kg)	Fill boiling	Cooling to 100°F	ND	10	50
n-Heptane extractive (mg/kg)	120°F	0.25hours	ND	10	50
8% Ethanol extractive (mg/kg)	Fill boiling	Cooling to 100°F	ND	10	50
Conclu	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

RC-CSHZ-R063

The specification is quoted from 21 CFR 177.1210 Table 2 Section 3.



Test Report # 22W-016122(A1) Pages: Page 21 of 25

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polyethylene Homopolymer

Test Method: FDA 21 CFR 177.1520

Specimen No.			2			
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.87		NA	0.85-1.00
n-Hexane Extractive (%)	50°C	2 hours	0.6		0.4	5.5
Xylene Extractive (%)	Reflux	2 hours	1.1		1.0	11.3
		Conclusion	PASS			

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

RC-CSHZ-R063

The specification is quoted from 21 CFR 177.1520 (c) 2.1.



Test Report # 22W-016122(A1) Pages: Page 22 of 25

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specime	3				
Test Item	Test Condition		Doorde	RL	Limit
	Temp.	Duration	Result		
Density (g/cc)	NA	NA	0.90	NA	0.85 – 1.00
n-Hexane extractive (% w/w)	50°C	2 hours	ND	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	2	1	30
Conclu	PASS				

Note:

Temp. = Temperature °C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

RC-CSHZ-R063

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.



Test Report # 22W-016122(A1) Pages: Page 23 of 25

DETAILED RESULTS:

FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers

Test Method: SN/T 2718-2010

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	8					Limit
Test Item	Result (% m/m)	(% m/m)				
Total Chromium (Cr)	18.33					GT 16
Conclusion	PASS					

Note:

% m/m = Percent by mass

GT = Greater than

Remark:

RC-CSHZ-R063

The limit is quoted from ANSI/NSF 51-1997 Section 7.1.2.



Test Report # 22W-016122(A1) Pages: Page 24 of 25

SPECIMEN DESCRIPTION:

RC-CSHZ-R063

Specimen No.	Specimen Description	Location	
1	Translucent soft plastic	Sealing ring (white style)	
2	Translucent plastic	Straw (white style)	
3	Black plastic	Lid (white style)	
4	Silvery metal	Handle (white style)	
5	Black soft plastic	Base pad (white style)	
6	White coating	Main body (white style)	
7	Black coating	Main body (black style)	
8	Silvery metal	Interior (black style)	
9	Silvery metal	Exterior (white style)	




Test Report # 22W-016122(A1) Pages: Page 25 of 25

SAMPLE PHOTO:

RC-CSHZ-R063





-End Report-