

Test Report No.: 68.431.21.02264.01

Dated: 2021-05-10



Applicant : Spector & Co
Address : /
Sample Description : BALLPOINT PEN
Product Type / End Use : WRITING INSTRUMENT
PO / Order No. : N/A
Item No. : G1103
Style No. : LARA
Buyer : n/a
Supplier : USY007
Country of Origin : CHINA
Country of Destination : CANADA & U.S.A
Test Sample Receipt Date, Location : 2021-04-13, 2020-04-27, Shenzhen
Test Period, Location : From 2021-04-13 to 2021-05-08, Shenzhen
Test Result(s) : Refer to Section 3

Laboratory:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv sud.com
Web : <http://www.tuvsud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
3.	US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Lead Content Test	Pass
7.	Phthalates Content (11P)	Pass*
8.	US California Proposition 65 - Phthalates Content (6P)	Pass*
9.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
10.	Tungsten Content Test	Report As Is
11.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Mercury Content Test	Pass
12.	Nickel Content Test	Report As Is

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client.
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 TÜV SÜD Group

Prepared by:

Reviewed by:

Laboratory:
 TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

Phone : +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: toys_hardline@tuvsud.com
 Web : <http://www.tuvsud.cn>

Regd. Office:
 TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

Test Report No.: 68.431.21.02264.01

Dated: 2021-05-10



Cara



Ken

<Cara Xiang>
<Senior Project Coordinator>

<Ken Chen>
<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.



Laboratory:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>



Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

1. Description of the Test Sample:

Sample Description	BALLPOINT PEN
	



2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Silvery coating (Barrel)	
T2	002	Dark blue coating (Barrel)	
T3	003	White coating (Barrel)	
T4	004	Orange coating (Barrel)	
T5	005	Red coating (Barrel)	
T6	006	Green coating (Barrel)	
T7	007	Black coating (Barrel)	
T8	008	Black plastic (Barrel)	
T9	009	Bright silvery coating (Pen)	
T10	010	Silvery plated translucent white plastic (Top of pen, ring & end of pen)	
T11	011	Silvery metal (Clip)	
T12	012	Silvery metal (Spring)	
T13	013	Silvery metal (Tip of refill)	
T14	014	Silvery metal (Ball of refill)	
T15	015	White plastic (Refill)	
T16	016	Blue ink (Ink)	
T17	017	Off white plastic (Parts)	



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 008+015+017	Sample 010	Sample 011	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 012	Sample 013	Sample 014	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 001	Sample 002	Sample 003	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 004	Sample 005	Sample 006	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 007	Sample 009	Sample 016	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials


Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 008+015+017	Sample 010	Sample 011	
Lead	N.D.	N.D.	46.1	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 012	Sample 013	Sample 014	
Lead	N.D.	46.1	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 001	Sample 002	Sample 003	
Lead	N.D.	N.D.	N.D.	<90
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 004	Sample 005	Sample 006	
Lead	N.D.	N.D.	N.D.	<90
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 007	Sample 009	Sample 016	
Lead	N.D.	N.D.	N.D.	<90
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83
 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]		
	Sample 001	Sample 002	Sample 003
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 004	Sample 005	Sample 006
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 007	Sample 008+015+017	Sample 009
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 010	Sample 011	Sample 012
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 013	Sample 014	Sample 016
Lead	46.1	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

- Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than
 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]		
	Sample 001	Sample 002	Sample 003
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 004	Sample 005	Sample 006
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 007	Sample 009	Sample 016
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001+002 +003	Sample 004+005 +006	Sample 007	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	0.008	0.008	0.011	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 008+015 +017	Sample 009	Sample 010	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	0.009	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	0.009	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	0.009	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 016	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001+002 +003	Sample 004+005 +006	Sample 007	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	0.008	0.008	0.011	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 008+015 +017	Sample 009	Sample 010	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	0.009	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	0.009	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	0.009	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 016	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Conclusion		Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 001+002 +003	Sample 004+005 +006	Sample 007	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	0.008	0.008	0.011	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 008+015 +017	Sample 009	Sample 010	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	0.009	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	0.009	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	0.009	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

Phone : +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: toys_hardline@tuvsud.com
 Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]	Limit [%]
		Sample 016	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%




3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 011	
Tungsten	N.D.	-
Conclusion	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.11 Total Mercury Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 001	Sample 002	Sample 003	
Mercury	N.D.	N.D.	N.D.	<10
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 004	Sample 005	Sample 006	
Mercury	N.D.	N.D.	N.D.	<10
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 007	Sample 009	Sample 016	
Mercury	N.D.	N.D.	N.D.	<10
Conclusion	Pass	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



3.12 Nickel Content Test

Test method: Acid digestion and analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 5.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 011	Sample 012	Sample 013	
Nickel	7077.52	92.55	41.09	-
Conclusion	Report As Is	Report As Is	Report As Is	-

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 014	
Nickel	50280.37	-
Conclusion	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 5.0mg/kg

-- END OF TEST REPORT--

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park,
 Nantou Checkpoint Road 2, 518052, P. R. China

Phone : +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: toys_hardline@tuvsud.com
 Web : http://www.tuvsud.cn

Regd. Office:
 TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park,
 Nantou Checkpoint Road 2, 518052, P. R. China