

TEST REPORT

Test Report # 22W-010191(R1) Date of Report Issue: August 12, 2022

Date of Sample Received: June 28, 2022 Pages: Page 1 of 13

CLIENT INFORMATION:

Company: Spector & Co.

Address: testing@spectorandco.com

SAMPLE INFORMATION:

Description: Diamond textured leather card holder

Assortment: BLK/ BLU/RED/ORG

PO No.:

Item No./Name:ST1480Item Class:TOSCANOFactory/Supplier:USS079Country of Origin:China

Country of Distribution: Canada, United States

[†]Testing Period: 07/01/2022-07/06/2022, 08/03/2022-08/12/2022

OVERALL RESULT:

RC-CSHZ-R063

PASS

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

QIMA (HANGZHOU) TESTING CO., LTD.

Ada Guo

3 4 5 6 7 8 9 90 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 12

Josemy. Xu

Ada Guo

Assist Physical Laboratory Manager

Jeremy Xu Chemical Laboratory Supervisor

U) TESTING CO., LTD. • 4-5/F A2 BLDG NO. 1213 HUOJU SOUTH ROAD PUYAN STREET BINJIANG DISTRICT HANGZHOU CHINA
• Email: Labtesting@qima.com • Tel: (86) 571 8999 7158.



Test Report # 22W-010191(R1) Pages: Page 2 of 13

TEST RESULTS SUMMARY:

RC-CSHZ-R063

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Substrate Materials
Not Applicable	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	California Proposition 65, Total Cadmium in Substrate Materials
Not Applicable	Client's requirement, Total Nickel content
PASS	CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement, Phthalates content
PASS	[†] Client-RFID-Signal Test [∅]

[†]Revised information and supersedes the previous Report no. 22W-010191.



Test Report # 22W-010191(R1) Pages: Page 3 of 13

Detailed results:

California proposition 65, total lead in substrate materials

Test method: Cpsc-ch-e1001-08.3 (metal), cpsc-ch-e1002-08.3 (non-metal)
Analytical method: Inductively coupled plasma-optical emission spectrometry

Specimen no.	1	2	3+4+5			Limit
Tost itom	Result	Result	Result	Result	Result	(mg/kg)
Test item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total lead (pb)	ND	ND	ND			100
Conclusion	PASS	PASS	PASS			

Note:

Mg/kg =milligrams per kilogram

Lt = less than

Nd = not detected (reporting limit =15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Considerate No.	Transferre	Data of Issue	
Specimen No.	Report No.	Specimen No.	- Date of Issue
1	22W-010190	4	July 6, 2022
3+4+5	22W-010198	1+2+3	July 6, 2022



Test Report # 22W-010191(R1) Pages: Page 4 of 13

Detailed results:

Canadian consumer products containing lead regulations (SOR/2018-83), total lead content

Test method: Astm f963-17 clause 8.3.1

Analytical method: Inductively coupled plasma-optical emission spectrometry

Specimen no.	1	2	3+4+5			Limit
Test item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total lead (pb)	ND	ND	ND			90
Conclusion	PASS	PASS	PASS			

Note:

RC-CSHZ-R063

Mg/kg=milligrams per kilogram)

Lt = less than

Nd = not detected (reporting limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Cassimon No	Transferre	Date of Issue		
Specimen No.	Report No.	Specimen No.	Date of issue	
1	22W-010190	4	July 6, 2022	
3+4+5	22W-010198	1+2+3	July 6, 2022	



Test Report # 22W-010191(R1) Pages: Page 5 of 13

Detailed results:

California proposition 65, total cadmium in substrate materials

Test method: Astm f963-17 clause 8.3.1

Analytical method: Inductively coupled plasma-optical emission spectrometry

Specimen no.	1	2	3+4+5			Limit
Test item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total cadmium (cd)	ND	ND	ND			75
Conclusion	PASS	PASS	PASS			

Note:

Mg/kg =milligrams per kilogram

Lt = less than

Nd = not detected (reporting limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Specimen No.	Transferre	Date of Issue		
Specimen No.	Report No.	Specimen No.	Date of issue	
1	22W-010190	4	July 6, 2022	
3+4+5	22W-010198	1+2+3	July 6, 2022	



Test Report # 22W-010191(R1) Pages: Page 6 of 13

Detailed results:

CPSC 16 CFR 1307 prohibition of children's toys and child care articles containing specified phthalates (DBP, BBP, DEHP, DINP, DHEXP / DNHP, DCHP, DIBP, DPENP)

Test method: Cpsc-ch-c1001-09.4

Analytical method: Gas chromatography with mass spectrometry

Specimen n	0.	1	3+4+5			Limit
Test item	Cas no.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND			1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND			1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND			1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND			1000
Conclusion	1	PASS	PASS			

Note:

RC-CSHZ-R063

Mg/kg = milligrams per kilogram

Lt = less than

Nd = not detected (reporting limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Cassimon No	Transferre	Date of Issue	
Specimen No.	Report No. Specimen No.		
1	22W-010190	4	July 6, 2022
3+4+5	3+4+5 22W-010198		July 6, 2022



Test Report # 22W-010191(R1) Pages: Page 7 of 13

Detailed results:

California proposition 65, phthalates (DBP, BBP, DEHP, DINP, DIDP, DNHP)

Test method: Cpsc-ch-c1001-09.4

Analytical method: Gas chromatography with mass spectrometry

Specimen n	0.	1	3+4+5			Limit
Test item	Cas no.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND			1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND			1000
Conclusion	1	PASS	PASS			

Note:

Mg/kg (milligrams per kilogram) = 0.0001 % w/w (percent by weight)

Lt = less than

Nd = not detected (reporting limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R063

The specification is quoted from client's requirement.

Cnasiman Na	Transferre	Date of Issue		
Specimen No.	Report No.	Specimen No.	Date of issue	
1	22W-010190	4	July 6, 2022	
3+4+5	22W-010198	1+2+3	July 6, 2022	



Test Report # 22W-010191(R1) Pages: Page 8 of 13

Detailed results:

RC-CSHZ-R063

Client's requirement, phthalates content

Test method: Cpsc-ch-c1001-09.4

Analytical method: Gas chromatography with mass spectrometry

Specimen no).	1	3+4+5			Limit
Test item	Cas no.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND			1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND			1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND	ND			1000
Diethyl phthalate (DEP)	84-66-2	ND	ND			1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND			1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND			1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND	ND			1000
Conclusion		PASS	PASS			



Test Report # 22W-010191(R1) Pages: Page 9 of 13

Note:

Mg/kg (milligrams per kilogram) = 0.0001 % w/w (percent by weight)

Lt = less than

Nd = not detected (reporting limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

Specimen No.	Transferred from		Date of Issue
	Report No.	Specimen No.	Date of issue
1	22W-010190	4	July 6, 2022
3+4+5	22W-010198	1+2+3	July 6, 2022



Test Report # 22W-010191(R1) Pages: Page 10 of 13

DETAILED RESULTS:

RC-CSHZ-R063

†Client-RFID-Signal Test[#]

Test	Observation	Conclusion
Test the effectiveness of the product in blocking the RFID signal	An octopus card was placed inside the RFID Card Slider. Then the product with the octopus card was placed onto an octopus card reader which was capable to read octopus card at frequency at 13.56 MHz. The octopus card reader detected signal at 60mm without the use of RFID Card Slider. The octopus card reader did not detect any signal on both front side and opposite side with the use of RFID Card Slider even though the RFID Card Slider totally touched the reader. Conclusion: The product is capable to block RFID signal at frequency 13.56 MHz.	PASS
	Refer below photo for the detail.	



Test Report # 22W-010191(R1) Pages: Page 11 of 13

REFERENCE PHOTO:

The following photo show the tested location for RFID Card Slider.

Remark:

Only an Octopus card was inserted into the card slider for testing.





Test Report # 22W-010191(R1) Pages: Page 12 of 13

SPECIMEN DESCRIPTION:

RC-CSHZ-R063

Specimen No.	Specimen Description	Location
1	Black synthetic leather	Main body (black style)
2	White paper with silvery foil	Filler (black style)
3	Red synthetic leather	Main body (red style)
4	Orange synthetic leather	Main body (orange style)
5	Dark blue synthetic leather	Main body (dark blue style)



Test Report # 22W-010191(R1) Pages: Page 13 of 13

[†]SAMPLE PHOTO:

RC-CSHZ-R063





-End Report-