

Applicant	:	Spector & Co
Address	:	/
Sample Description	:	COVER FOR POWERBANK
Product Type / End Use	:	DECORATIVE SLEEVE
Item No.	:	08T135
Style No.	:	DONALD
Supplier	-	USS079
Country of Origin	:	China
Exported to	:	Canada & U.S.A.
Test Sample Receipt Date, Location	÷	2019-08-08, Shenzhen
Test Period, Location	:	From 2019-08-08 to 2019-08-19, Shenzhen
Test Result(s)	:	Refer to Section 3

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 1 of 9



Test Report No.: 68.431.19.03932.01 Dated: 2019-08-19



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
	Materials	1 400
2.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
۷.	Materials	1 433
3.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
0.	83 - Total Lead Content Test	1 435
4.	Phthalates Content	Pass*
5.	US California Proposition 65 - Phthalates Content	Pass*
6.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
7.	Canadian Products Containing Mercury Regulations SOR/2014-254 -	Pass
	Total Mercury Content Test	1 435

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client

(5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

<Cara Xiang> <Senior Project Coordinator>



Reviewed by:

<Ken Chen> <Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd.

Shenzhen Branch

Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 2 of 9





1. Description of the Test Sample:

Sample Description	COVER FOR POWERBANK

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Blue PU w/ matt blue fabric backing w/ glue (Cover)	
T2	002	Matt black PU w/ black fabric backing w/ double side adhesive tape (Lining)	
Т3	003	Orange PU w/ matt orange fabric backing (Cover)	
T4	004	Black PU w/ grey fabric backing (Cover)	
T5	005	Green PU w/ matt green fabric backing (Cover)	
Т6	006	Red PU w/ matt red fabric backing (Cover)	
T7	007	White PU w/ grey fabric backing (Cover)	<i>\$\$7.69\$</i> (22456769\$)22455769\$(22456769\$)22455719\$(22455719\$)22455719\$

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 3 of 9





3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Results [mg/kg]				
Test item	Sample 001+003+004					
Cadmium	N.D.	N.D.	N.D.	<75		
Conclusion	Pass	Pass	Pass	-		

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Client's			
Test Item	Sample	Sample	Sample	Specification	
	001+003+004	002	005+006+007	[mg/kg]	
Lead	N.D.	N.D.	N.D.	<100	
Conclusion	Pass	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 4 of 9





3.3 Total Lead

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]					
Analyte	Sample 001+003+004	Sample 002	Sample 005+006+007			
Lead	N.D.	N.D.	N.D.			
Limit	1	<90				
Conclusion	Pass	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 5 of 9





3.4 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001+003 +004	Sample 002	Sample 005+006 +007	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	·	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 6 of 9





3.5 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%]		
Test Items	CAS No.	Sample 001+003 +004	Sample 002	Sample 005+006 +007	Client's Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0, 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 7 of 9





3.6 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F			
Phthalates	CAS No.	Sample 001+003 +004	Sample 002	Sample 005+006 +007	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 8 of 9





3.7 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254 With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

	F	Results [mg/kg]				
Test Item	Sample	Sample	Sample	Limit [mg/kg]		
	001+003+004	002	005+006+007			
Mercury	N.D.	N.D.	N.D.	≤1000		
Conclusion	Pass	Pass	Pass	-		

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "≤" denotes less than or equal to
- 3. "N.D." denotes Not Detected with Detection Limit 10mg/kg



Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 9 of 9

