

# **TEST REPORT**

Test Report # 19W-017553 Date of Report Issue: November 21, 2019

Date of Sample Received: November 8, 2019 Pages: Page 1 of 26

**CLIENT INFORMATION:** 

Company: Spector & Co.

Address: -

**SAMPLE INFORMATION:** 

Description: Bamboo store Box

Assortment: HOME Model/style No.: EC1341

PO No.:

SKU No.: EC1341NAT

Item No./Item Name:SANDYFactory/Supplier:USC072Country of Origin:China

Country of Distribution: United States, Canada
Testing Period: 11/15/2019-11/21/2019

Testing Period: 11/15/2019-11/21/2019

**OVERALL RESULT:** 

**PASS** 

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

Kein.lee

Kevin Lee

**Technical Manager** 

+OU) TESTING CO., LTD. • 4-5/F A2 BLDG NO. 1213 HUOJU SOUTH ROAD PUYAN STREET BINJIANG DISTRICT HANGZHOU CHINA • Email: Labtesting@qima.com • Tel: (86) 571 8999 7158.

Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.



Test Report # 19W-017553 Pages: Page 2 of 26

# **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	California Proposition 65, Total Cadmium in Paints and Surface Coatings
PASS	California Proposition 65, Total Cadmium in Substrate Materials
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates(DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)
PASS	Client's Requirement, Phthalates content
PASS	FDA 21 CFR 175.300, Resinous and Polymeric Coatings
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets
PASS	FDA 21 CFR 177.1460, Melamine-Formaldehyde Resins
PASS	FDA 21 CFR 177.2600, Rubber
PASS	FDA 21 CFR 178.3800, Preservatives for Wood – Pentachlorophenol (PCP)
PASS	Dishwasher Safe Test



Test Report # 19W-017553 Pages: Page 3 of 26

#### **DETAILED RESULTS:**

# California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2	9				Limit
Test Item	Result	Result	Result	Result	Result	(mg/kg)
rest item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total Lead (Pb)	ND	ND				90
Conclusion	PASS	PASS				

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Remark:



Test Report # 19W-017553 Pages: Page 4 of 26

#### **DETAILED RESULTS:**

# California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal) Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	3	4+5+6	7+8		Limit
Test Item	Result	Result	Result	Result	Result	(mg/kg)
rest item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit =15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:



Test Report # 19W-017553 Pages: Page 5 of 26

#### **DETAILED RESULTS:**

# Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2	9				Total
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND	ND				90
Total Mercury (Hg)	ND	ND				10
Conclusion	PASS	PASS				

Note:

mg/kg=Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit: Pb=15 mg/kg; Hg = 10 mg/kg)



Test Report # 19W-017553 Pages: Page 6 of 26

# **DETAILED RESULTS:**

# Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	4+5+6	7+8			Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND			90
Conclusion	PASS	PASS	PASS			

Note:

mg/kg=Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report # 19W-017553 Pages: Page 7 of 26

#### **DETAILED RESULTS:**

# California Proposition 65, Total Cadmium in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2	9				Limit
Test Item	Result	Result	Result	Result	Result	(mg/kg)
rest item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total Cadmium (Cd)	ND	ND				75
Conclusion	PASS	PASS				

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Remark:



Test Report # 19W-017553 Pages: Page 8 of 26

#### **DETAILED RESULTS:**

# California Proposition 65, Total Cadmium in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	3	4+5+6	7+8		Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND	ND	ND	ND		75
Conclusion	PASS	PASS	PASS	PASS		

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:



Test Report # 19W-017553 Pages: Page 9 of 26

#### **DETAILED RESULTS:**

# California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	1	2	3	4+5+6	Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	1000
Conclusion	1	PASS	PASS	PASS	PASS	

#### Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:



Test Report # 19W-017553 Pages: Page 10 of 26

#### **DETAILED RESULTS:**

# California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	Specimen No.		9			Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND			1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND			1000
Conclusion	1	PASS	PASS			

#### Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:



Test Report # 19W-017553 Pages: Page 11 of 26

# **DETAILED RESULTS:**

CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	1	2	4+5+6	7+8	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	1000
Conclusion	1	PASS	PASS	PASS	PASS	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report # 19W-017553 Pages: Page 12 of 26

# **DETAILED RESULTS:**

CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	9				Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND				1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND				1000
Diisobutyl phthalate (DIBP)	84-69-5	ND				1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND				1000
Conclusion	1	PASS				

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)



Test Report # 19W-017553 Pages: Page 13 of 26

#### **DETAILED RESULTS:**

# Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No	).	1	2	3	4+5+6	Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND	ND	ND	ND	1000
Diethyl phthalate (DEP)	84-66-2	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND	ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	PASS	

# Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

# Remark:



Test Report # 19W-017553 Pages: Page 14 of 26

#### **DETAILED RESULTS:**

# Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No	).	7+8	9			Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND			1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND			1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND	ND			1000
Diethyl phthalate (DEP)	84-66-2	ND	ND			1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND			1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND			1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND	ND			1000
Conclusion		PASS	PASS			

# Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

# Remark:



Test Report # 19W-017553 Pages: Page 15 of 26

# **DETAILED RESULTS:**

# FDA 21 CFR 175.300, Resinous and Polymeric Coatings

Test Method: FDA 21 CFR 175.300

Specimen No	2				
Tost Itam	Test Condition		Danile	RL	Limit
Test Item	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Fill boiling	Cooling to 100°F	ND*	0.1	18
n-Heptane extractive (mg/in²)	120°F	0.25 hours	ND	0.1	18
8% Ethanol extractive (mg/in²) Fill boiling Cooling to 100°F		ND*	0.1	18	
Conclusion	PASS				

Specimen No	10				
Test Item	Test Condition		Result	RL	Limit
restitem	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Fill boiling	Cooling to 100°F	ND	0.1	18
n-Heptane extractive (mg/in²)	120°F	0.25 hours	ND	0.1	18
8% Ethanol extractive (mg/in²) Fill boiling Cooling to 100°F		ND	0.1	18	
Conclusion	PASS				

# Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in<sup>2</sup>= Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

# Remark:

The specification is quoted from 21 CFR 175.300 (c) (3).

<sup>\*</sup>The chloroform-soluble extractive analysis was conducted.



Test Report # 19W-017553 Pages: Page 16 of 26

# **DETAILED RESULTS:**

# FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210

Specimo	4				
Test Item	Test Condition		Dooult	RL	Limit
restitem	Temp.	Duration	Result		
Distilled water extractive (mg/kg)	Fill boiling	Cooling to 100°F	ND	10	50
n-Heptane extractive (mg/kg)	120°F	0.25hours	15	10	50
8% Ethanol extractive (mg/kg)	Fill boiling Cooling to 100°F		ND	10	50
Conclu	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

# Remark:

RC-CSHZ-R063

The specification is quoted from 21 CFR 177.1210 Table 2 Section 3.

A0



Test Report # 19W-017553 Pages: Page 17 of 26

# **DETAILED RESULTS:**

# FDA 21 CFR 177.1460, Melamine-Formaldehyde Resins

Test Method: FDA 21 CFR 177.1460

Specimen No	1				
Test Item	Test Condition		Danile	RL	Limit
restitem	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Fill boiling	Cooling to 100°F	ND	0.1	0.5
n-Heptane extractive (mg/in²)	120°F	0.5hours	ND	0.1	0.5
8% Ethanol extractive (mg/in²) Fill boiling Cooling to 100°F		ND	0.1	0.5	
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

# Remark:

The specification is quoted from 21 CFR 177.1460 (c).



Test Report # 19W-017553 Pages: Page 18 of 26

# **DETAILED RESULTS:**

# FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No	5				
Test Item	Test Co	ndition	Result	RL	Limit
rest item	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in²)	Reflux	Succeeding 2 hours	0.2	0.1	1
n-Hexane extractive (mg/in²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in²)	Reflux	Succeeding 2 hours	1.2	0.4	4
Conclusion	PASS				

Specimen No	6				
Test Item	Test Condition		Danile	RL	Limit
rest item	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in²)	Reflux	Succeeding 2 hours	0.3	0.1	1
n-Hexane extractive (mg/in²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in²)	Reflux	Succeeding 2 hours	0.9	0.4	4
Conclusion	PASS				

# Note:

Temp. = Temperature

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

#### Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).



Test Report # 19W-017553 Pages: Page 19 of 26

# **DETAILED RESULTS:**

# FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No	7				
Test Item	Test Co	Test Condition		RL	Limit
rest item	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in²)	Reflux	Succeeding 2 hours	1.1	0.4	4
Conclusion	PASS				

Specimen No	8				
Test Item	Test Co	ndition	D li	RL	Limit
restitem	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in²)	Reflux	Succeeding 2 hours	0.1	0.1	1
n-Hexane extractive (mg/in²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in²)	Reflux	Succeeding 2 hours	0.2	0.4	4
Conclusion	PASS				

# Note:

Temp. = Temperature

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

#### Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).



Test Report # 19W-017553 Pages: Page 20 of 26

# **DETAILED RESULTS:**

# FDA 21 CFR 178.3800, Preservatives for Wood – Pentachlorophenol (PCP)

Test Method: Refer to CEN/TR 14823:2003

Analytical Method: Gas Chromatography-Electron Capture Detector

Specimen No.	1	3				Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Pentachlorophenol (PCP)	ND	ND				50
Conclusion	PASS	PASS				

Note:

mg/kg (Milligrams per kilogram)=ppm (Parts per million)

LT = Less than

ND = Not detected (Reporting Limit = 1 mg/kg)

Remark:

The specification is quoted from 21 CFR 178.3800(b).



Test Report # 19W-017553 Pages: Page 21 of 26

#### **DETAILED RESULTS:**

#### **Dishwasher Safe Test**

The submitted samples were subjected to the following wash cycles and visual examination by naked eye was made in comparison with the control sample.

Wash condition:

wash / rinse / dry normal cycle (Duration approximately 60 minutes / temperature over 140°F/60°C).

Number of cycle : Twenty(20) cycles.

Detergent : Cascade (30 gram).

Dishwasher : SIEMENS-SN25E801TI.

Number of sample tested: One (1) piece per style plus one (1) piece as control sample. Total one (1) style.

Specimen No.	Test result(s)	Rating
1	No visible damage or change in color/size was observed on the tested sample.	PASS



Test Report # 19W-017553 Pages: Page 22 of 26

# **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Beige plastic	Вох
2	Transparent coating	Lid
3	Natural bamboo	Lid
4	Translucent soft plastic	Sealing ring
5	Red soft plastic	Tape
6	Black soft plastic	Tape
7	White soft plastic	Tape
8	Blue soft plastic	Tape
9	Black ink	Raw material



Test Report # 19W-017553 Pages: Page 23 of 26

# **SAMPLE PHOTO:**







Test Report # 19W-017553 Pages: Page 24 of 26

# **SAMPLE PHOTO:**







Test Report # 19W-017553 Pages: Page 25 of 26

#### **SAMPLE PHOTO:**







Test Report # 19W-017553 Pages: Page 26 of 26

# **SAMPLE PHOTO:**



Photo before test



Photo after test

-End Report-