

Dated: 2019-11-27



Applicant : Spector & Co

Address :

Sample Description : Vinyl journal with 160 pgs

Product Type / End Use : JOURNAL

Item No. : ST4145

Style No. : BRADFORD

Supplier : USY008

Country of Origin : China

Exported to : Canada & U.S.A.

Test Sample Receipt Date, Location : 2019-07-16, 2019-11-22, Shenzhen

Test Period, Location : From 2019-07-16 to 2019-11-27, Shenzhen

Test Result(s) : Refer to Section 3

Dated: 2019-11-27



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
١.	Materials	F 433
2.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
۷.	Materials	F 433
3.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
٥.	83 - Total Lead Content Test	1 033
4.	Phthalates Content (11P)	Pass*
5.	US California Proposition 65 - Phthalates Content (6P)	Pass*
6.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates	Pass
0.	Content (8P)	1 ass
7.	Tungsten Content Test	Report as is

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

Coro



<Ken Chen>

<Project Manager>

<Cara Xiang> <Senior Project Coordinator>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 2 of

TI"N/®

Dated: 2019-11-27



1. Description of the Test Sample:

Sample Description Vinyl journal with 160 pgs

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Red PVC w/ beige fabric backing (Cover)	
T2	002	Black PVC w/ beige fabric backing (Cover)	
Т3	003	Blue PVC w/ beige fabric backing (Cover)	222222222222222222222222222222222222222
T4	004	Silvery metal (Lower part of snaps)	
T5	005	Silvery metal (Upper part of snaps)	
Т6	006	Silvery metal (Stick of upper part of snaps)	

Dated: 2019-11-27



T. No.	Sample No.	Colour and Description	Photograph
Т7	007	Silvery metal (Back of upper of snaps)	



Dated: 2019-11-27



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Client's		
Test item	Sample 001+002+003	Sample 004	Sample 005	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	Results	[mg/kg]	Client's	
Test item	Sample 006	Sample 007	Specification [mg/kg]	
Cadmium	N.D.	N.D.	<75	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Results [mg/kg]			
Test Item	Sample 001+002+003	Sample 004	Sample 005	Specification [mg/kg]	
Lead	N.D.	33.8	37.6	<100	
Conclusion	Pass	Pass	Pass	-	

	Results	Client's	
Test Item	Sample 006	Sample 007	Specification [mg/kg]
Lead	N.D.	N.D.	<100
Conclusion	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory: TÜV SÜD Certificat

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web : http://www.tuv-sud.cn

Regd. Office:

 $\ensuremath{\mathsf{T\ddot{UV}}}\xspace\ensuremath{\mathsf{S\ddot{U}D}}\xspace$ Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China Page 5 of 10

Dated: 2019-11-27



3.3 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]					
Analyte	Sample	Sample	Sample			
	001+002+003	004	005			
Lead	N.D.	33.8	37.6			
Limit		<90				
Conclusion	Pass	Pass	Pass			

//	Result [mg/kg]
Analyte	Sample	Sample
	006	007
Lead	N.D.	N.D.
Limit	<9	0
Conclusion	Pass	Pass

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Dated: 2019-11-27



3.4 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's	
Test Items	CAS No.	Sample 001	Sample 002*	Sample 003	Specification [%]	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1	
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1	
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1	
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1	
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1	
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1	
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1	
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1	
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	Pass	-	

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "*" denotes sample was received on 2019-11-22.

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2019-11-27



3.5 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001	Sample 002*	Sample 003	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "*" denotes sample was received on 2019-11-22.

Dated: 2019-11-27



3.6 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

	CAS No.	Results [%]			Limit
Phthalates		Sample 001	Sample 002*	Sample 003	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

^{4. &}quot;*" denotes sample was received on 2019-11-22.

Dated: 2019-11-27



3.7 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's
	Sample 007	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

