

Dated: 2019-12-13



Applicant : Spector & Co

Address : /

Sample Description : CMP WIRELESS SPEAKER

Product Type / End Use : Audio

Item No. : T200

Style No. : ADDI BT

Supplier : USS070

Country of Origin : China

Exported to : Canada & U.S.A.

Test Sample Receipt Date, Location : 2019-08-15, Shenzhen

**Test Period, Location**: From 2019-08-15 to 2019-08-20, Shenzhen

Test Result(s) : Refer to Section 3

## **Purpose Of Examination / Conclusion:**

No.	Test Item(s)	Conclusion	
1. 2. 3. 4.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*	
١.	Materials	F a55	
2	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*	
۷.	Similar Surface-Coating Materials	F a55	
3	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*	
J.	Materials	1 033	
1	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*	
٦.	Surface-Coating Materials	1 033	
5	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass	
J.	83 - Total Lead Content Test	1 033	
6	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total	Pass	
0.	Lead Content Test	1 033	
7.	Phthalates Content	Pass*	

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuy-sud.

E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Nantou Checkpoint Road 2, 518052, P. R. China

Dated: 2019-12-13



No.	Test Item(s)	Conclusion
8.	US California Proposition 65 - Phthalates Content	Pass*
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Products Containing Mercury Regulations SOR/2014-254 - Total Mercury Content Test	Pass

#### Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "\*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>

<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Dated: 2019-12-13



# 1. Description of the Test Sample:

Sample Description	CMP WIRELESS SPEAKER
--------------------	----------------------

# 2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black / clear coating on metal (On bluetooth)	
T2	002	Silvery metal (Mesh)	
Т3	004	Silvery metal (Body)	
T4	005	Matt clear / black / white / blue coating (On base of bluetooth)	8 9 80 1 2 3 4 5 6 7 8 9 90 1 2 3 4 5 6 7 8 9 100 1 2 3 4 5 6 7 8 9 11
T5	006	Black plastic (Volume switch)	MI +/MI
Т6	007	Matt black plastic (Base & switch)	
Т7	008	Translucent plastic (LED)	
Т8	009	Black soft plastic sticker (On base)	XUA 330

Dated: 2019-12-13



## 3. Test Result

## 3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Results [mg/kg]		Client's		
Test item	Sample	Sample	Sample	Specification
	002	004	006+007+008	[mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg] Sample 009	Client's Specification [mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

# 3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Client's	
Test Item	Sample 001	Sample 005	Specification [mg/kg]
Cadmium	N.D.	N.D.	<75
Conclusion	Pass	Pass	-

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-12-13



## 3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 002	Sample 004	Sample 006+007+008	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]	Client's
Test Item	Sample	Specification
	009	[mg/kg]
Lead	N.D.	<100
Conclusion	Pass	-

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

# 3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Client's	
Test Item	Sample	Sample	Specification
	001	005	[mg/kg]
Lead	N.D.	N.D.	<90
Conclusion	Pass	Pass	-

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-12-13



## 3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]			
Analyte	Sample	Sample	Sample	
	001	002	004	
Lead	N.D.	N.D.	N.D.	
Limit		<90		
Conclusion	Pass	Pass	Pass	

	//	Result [mg/kg]			
Analyte	Sample 005	Sample 006+007+008	Sample 009		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

## 3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result	[mg/kg]
Analyte	Sample	Sample
	001	005
Lead	N.D.	N.D.
Limit	>>	90
Conclusion	Pass	Pass

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

ge 6 of 12

Dated: 2019-12-13



## 3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample 001	Sample 005	Sample 006+007 +008	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	I	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



## 3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%] Sample 009	Client's Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. "%" denotes percentage by weight

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



## 3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample 001	Sample 005	Sample 006+007 +008	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion	CITI	Pass	Pass	Pass	-

Test Items	CAS No.	Results [%]	Client's
Test items	CAS NO.	Sample 009	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



## 3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	<b>[</b> ]	
Phthalates	CAS No.	Sample 001	Sample 005	Sample 006+007 +008	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



## 3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%] Sample 009	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. "%" denotes percentage by weight

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



## 3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 004	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

## 3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254
With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

	) 3U	Results [mg/kg]			
Test Item	Sample 001	Sample 002	Sample 004	Limit [mg/kg]	
Mercury	N.D.	N.D.	N.D.	≤1000	
Conclusion	Pass	Pass	Pass	-	

Test Item	Sample 005	Sample 006+007+008	Sample 009	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "≤" denotes less than or equal to
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:



# Technical Report No. 68.740.19.0276.01 dated 2019-08-16

Applicant for this report...... Spector & Co

Internal code...... USB034

Testing laboratory ...... Intertek Testing Services Shenzhen Ltd. Kejiyuan Branch

6F, D Block, Huahan Building, Langshan Road, Nanshan District.

Shenzhen, P. R. China

Test item ...... Bluetooth Speaker

Model/Type reference .....: SK-S15

Order No ...... 7485089161

Order content .....: FCC test report review

Test specification...... FCC Test report review for report no. 150629034SZN-001

FCC Part 15: 2013, Subpart C(15.247)

Date of receipt of document.....: 2019-08-14

Date of performance of review......: 2019-08-16

Test result...... See Page 2

Handled by:

**Project Engineer** 

Reviewed by:



Laurent Yuan Project Manager

## Remark:

- 1. No test sample due to review only.
- Test report 150629034SZN-001 was issued by Intertek Testing Services Shenzhen Ltd. Kejiyuan Branch. It is submitted for verification.

Project No: 68.740.19.0276.01

Rev.: 00 Date: 2019-08-16 Page: 1 of 2

Telephone: +86 755 8828 6998 +86 755 8828 5299 Telefax:

http://www.tuv-sud.cn

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch, TÜV SÜD Group Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, Nanshan District, Shenzhen City, 518052, P.R. China



# Technical Report No. 68.740.19.0276.01 dated 2019-08-16

## 1. General product information:

The product (Product name: Bluetooth Speaker, Model name: SK-S15).

## 2. Submitted Documents

FCC test report (report No.: 150629034SZN-001)

FCC IDENTIFIER: WSGSK-S15

## 3. Result

All the documents check is based on & compare with the public information on FCC official website: https://apps.fcc.gov/oetcf/eas/reports/GenericSearch.cfm

Item(s)	Requirement(s)	*Result(s)	Remark(s)
1	Applicant, EUT Name, Model No.	Р	Refer to remark below
2	Applied Standards	Р	Refer to remark below.
3	Applied Test Items	Р	Refer to remark below.
4	Standard requirement	Р	Refer to remark below.

## \*Notes:

P: Pass/valid; F: Fail/invalid; N.C.: Need to Clarify; N.A.: Not Applicable; T.M.: Typing Mistake;

## Remark:

"P": the provided report/certificate in identical with the public information on FCC official website, and the report/certificate is Valid. the responsibility for the accuracy and acceptance of the test data inside test report no. 150629034SZN-001 was not covered by this test report.

Project No: 68.740.19.0276.01 Rev.: 00

Rev.: 00 Date: 2019-08-16 Page: 2 of 2 Telephone: +86 755 8828 6998 Telefax: +86 755 8828 5299

http://www.tuv-sud.cn

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch, TÜV SÜD Group Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, Nanshan District, Shenzhen City, 518052, P.R. China