

Applicant	Spector & Co
Address	: /
Sample Description	: Vinyl luggage tag w/ window flap & info card
Product Type / End Use	LUGGAGE TAG
Item No.	G531
Style No.	WILD
Supplier	USS079
Country of Origin	China
Exported to	Canada & U.S.A.
Test Sample Receipt Date, Location	2019-09-06, 2019-12-18, Shenzhen
Test Period, Location	From 2019-09-09 to 2019-12-20, Shenzhen
Test Result(s)	Refer to Section 3

Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion	
4	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*	
1.	Materials	Pass	
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*	
Ζ.	Similar Surface-Coating Materials	F d 5 5	
3.	2 US California Proposition 65 - Total Lead Content Test - Substrate	Pass*	
З.	Materials	F d 5 5	
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*	
4.	Surface-Coating Materials	F d 5 5	
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Daga	
э.	83 - Total Lead Content Test	Pass	
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 –	Pass	
υ.	Total Lead Content Test	rd55	
7.	Phthalates Content (11P)	Pass*	

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 1 of 1



Test Report No.: 68.431.19.04481.01 Dated: 2019-12-23



No.	Test Item(s)	Conclusion
8.	US California Proposition 65 - Phthalates Content (6P)	Pass*
9.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Mercury Content Test	Pass

Remarks:

(1) The results relate only to the items tested.

(2) Samples are tested as received.

(3) "*" denotes the conclusion was drawn according to the client's specification.

(4) The test item and samples were specified by the client

(5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

<Cara Xiang> <Senior Project Coordinator>



Reviewed by:

<Ken Chen> <Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 2 of 10





1. Description of the Test Sample:

Sample Description Vinyl luggage tag w/ window flap & info card

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Grey PU (Body & belt)	
T2	002	Clear PVC (Window)	
Т3	003	Grey coating (Rim)	
T4	004	Silvery-black metal (Buckle)	
Т5	005	Silvery-black metal (Pin of buckle)	
Т6	006	Army green PU (Body & belt)	
Т7	007	Army green coating (Rim)	<i>6789901234567890</i> 0123456789701234567898012345678980123456769901
Т8	008	Black PU (Body & belt)	
Т9	009	Black coating (Rim)	

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 3 of 10





3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	R	Results [mg/kg]		
Test item	Sample 001+006+008	Sample 002	Sample 004*	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg] Sample 005	Client's Specification [mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg
- "*" denotes sample was received on 2019-12-18.

3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 003	Sample 007	Sample 009	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 4 of 1





3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			
Test Item	Sample	Sample	Sample	Specification
	001+006+008	002	004	[mg/kg]
Lead	N.D.	N.D.	76.1	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg] Sample	Client's Specification	
	005	[mg/kg]	
Lead	N.D.	<100	
Conclusion	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 003	Sample 007	Sample 009	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<90
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 5 of 1





3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	001+006+008	002	003		
Lead	N.D.	N.D.	N.D.		
Limit	<90				
Conclusion	Pass	Pass	Pass		

		Result [mg/kg]				
Analyte	Sample	Sample	Sample			
	004	005	007			
Lead	76.1	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

	Result [mg/kg]			
Analyte	Sample			
	SUD 009			
Lead	N,D.			
Limit	<90			
Conclusion	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]					
Analyte	Sample	Sample	Sample			
	003	007	009			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 6 of 10





3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's	
Test Items	CAS No.	Sample 001+006 +008	Sample 002	Sample 003+007 +009	Specification [%]	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1	
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1	
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1	
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1	
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1	
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	0.012	N.D.	N.D.	<0.1	
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1	
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1	
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	Pass	-	

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 7 of 10





3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001+006 +008	Sample 002	Sample 003+007 +009	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0, 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	0.012	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 8 of 10





3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

	CAS No.	Results [%]			
Phthalates		Sample 001+006 +008	Sample 002	Sample 003+007 +009	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	0.012	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 9 of 10





3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 004	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.11 Total Mercury Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10mg/kg]

Test Item	SÜE	l imaid		
	Sample 003	Sample 007	Sample 009	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	<10
Conclusion	Pass	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 10 of 1

