

Applicant	:	Spector & Co
Address	:	/
Sample Description	:	Plastic IPX4 wireless v4.2 sport earbuds for BH-189
Product Type / End Use	:	ТЕСН
Item No.	:	HW1141
Style No.	:	DASH
Supplier	:	USM039
Country of Origin	:	China
Exported to	:	Canada & U.S.A.
Test Sample Receipt Date, Location	÷	2019-09-06, Shenzhen
Test Period, Location	:	From 2019-09-09 to 2019-11-07, Shenzhen
Test Result(s)	:	Refer to Section 3

Purpose Of Examination / Conclusion:

Test Item(s)	Conclusion	
US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*	
Materials	Pass	
US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*	
Similar Surface-Coating Materials	Fd55	
US California Proposition 65 - Total Lead Content Test - Substrate	Pass*	
Materials	r ass	
US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*	
Surface-Coating Materials	F d 3 5	
Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass	
83 - Total Lead Content Test	Fd55	
Canadian Surface Coating Materials Regulations SOR/2016-193 –	Pass	
Total Lead Content Test	F 455	
Phthalates Content	Pass*	
US California Proposition 65 - Phthalates Content	Pass*	
	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials Canadian Consumer Products Containing Lead Regulations SOR/2018- 83 - Total Lead Content Test Canadian Surface Coating Materials Regulations SOR/2016-193 –	

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 1 of 2

Page 1 of 22

Test Report No.: 68.431.19.04483.01 Dated: 2019-11-08



No.	Test Item(s)	Conclusion
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11	Canadian Products Containing Mercury Regulations SOR/2014-254 -	Pass
11.	Total Mercury Content Test	r 922

Remarks:

(1) The results relate only to the items tested.

(2) Samples are tested as received.

(3) "*" denotes the conclusion was drawn according to the client's specification.

(4) The test item and samples were specified by the client

(5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

<Cara Xiang> <Senior Project Coordinator>



Reviewed by:

<Ken Chen> <Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 2 of





1. Description of the Test Sample:

Sample DescriptionPlastic IPX4 wireless v4.2 sport earbuds for BH-189

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black soft plastic (Cable)	
T2	002	Matt black soft plastic (Holder)	
Т3	003	Black plastic (Ear hang)	
T4	004	Bright black plastic w/ white printing (Buttons)	
Т5	005	Flat black soft plastic (Stopper on socket)	
Т6	006	Grey soft plastic (Pad)	-
T7	007	Clear laminated black / orange printed white paper sticker (Label)	
Т8	008	Bright black soft plastic (USB cable)	
Т9	009	Off black soft plastic (End of USB cable)	8 9 40 1 2 3 4 5 6 7 8 9 50 1 2 3 4 5 6 7 8 9 50 1 2 3 4 5 6 7 8
T10	010	Silvery metal (USB plug)	
T11	011	Black plastic (USB plug)	
T12	012	Silvery metal (Small plug)	
T13	013	Matt black plastic (Small plug)	
T14	014	Black printing ink	

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 3 of 22



Test Report No.: 68.431.19.04483.01 Dated: 2019-11-08



T. No.	Sample No.	Colour and Description	Photograph
T15	015	Magenta printing ink	
T16	016	Cyan printing ink	
T17	017	Yellow printing ink	
T18	018	White paper sticker	

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 4 of 22



Test Report No.: 68.431.19.04483.01 Dated: 2019-11-08



T. No.	Sample No.	Colour and Description	Photograph
T19	019	Transparent plastic film	
			<i>1 9 9 1 2 3 4 5 6 7 8 9 7</i> 0 1 2 3 4 5 6 7 8 9 80 1 2 3 4 5 6 7 8 9 80 1



Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 5 of





3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Results [mg/kg]		
Test item	Sample 001+002+005	Sample 003+004+007	Sample 006+008+009	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test item	Sample 010	Sample 011+013	Sample 012	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results	Results [mg/kg]		
	Sample	Sample	Specification	
	018	019	[mg/kg]	
Cadmium	N.D.	N.D.	<75	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram

- "<" denotes less than

- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 6 of 2





3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

		Results [mg/kg]		
Test Item	Sample 014	Sample 015	Sample 016	Specification
Cadmium	N.D.	N.D.	N.D.	[mg/kg] <75
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg] Sample	Client's Specification	
rest item	017	[mg/kg]	
Cadmium	N.D.	<75	
Conclusion	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China





3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample	Sample	Sample	Specification
	001+002+005	003+004+007	006+008+009	[mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]			
Test Item	Sample 010	Sample 011+013	Sample 012	Specification [mg/kg]	
Lead	N.D.	N.D.	N.D.	<100	
Conclusion	Pass	Pass	Pass	-	

Test Item	Results	Client's	
	Sample 018	Sample 019	Specification [mg/kg]
Lead	N.D.	N.D.	<100
Conclusion	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than -
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 8 of 22





3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating **Materials**

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

		Results [mg/kg]			
Test Item	Sample 014	Sample 015	Sample 016	Specification [mg/kg]	
Lead	N.D.	N.D.	N.D.	<90	
Conclusion	Pass	Pass	Pass	-	

Test Item	Results [mg/kg] Sample 017	Client's Specification [mg/kg]
Lead	N.D.	<90
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 9 of 22





3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	001+002+005	003+004+007	006+008+009		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

		Result [mg/kg]	
Analyte	Sample 010	Sample 011+013	Sample 012
Lead	N.D.	N.D.	N.D.
Limit		<90	L
Conclusion	Pass	Pass	Pass

		Result [mg/kg]				
Analyte	Sample 014	Sample 015	Sample 016			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

	Result [mg/kg]					
Analyte	Sample	Sample	Sample			
	017	018	019			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 10 of 2





3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	014	015	016		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

	Result [mg/kg]
Analyte	Sample
	017
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 11 of 22





Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample 001+002 +005	Sample 003	Sample 004	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	<u>.</u>	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 12 of 22





Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%]	Client's
Test Items	CAS No.	Sample 006+008 +009	Sample 011+013	Sample 014	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	1	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 13 of 22





Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample	Sample	Sample	Specification
		015	016	017	[%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	·	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 14 of 22





Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Result	Results [%]			
Test Items	CAS No.	Sample 018	Sample 019	Specification [%]		
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1		
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1		
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1		
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1		
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1		
Di-isononyl phthalate (DINP)	28553-12-0, 68515-48-0	N.D.	N.D.	<0.1		
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1		
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1		
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1		
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1		
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1		
Conclusion	I	Pass	Pass	-		

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 15 of 22





3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's	
Test Items	CAS No.	Sample 001+002 +005	Sample 003	Sample 004	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	Pass	-	

		Results [%]			Client's	
Test Items	CAS No.	Sample 006+008 +009	Sample 011+013	Sample 014	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0, 68515-49-1	N.D.	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0, 68515-48-0	N.D.	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	Pass	-	

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 16 of 2





3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample	Sample	Sample	Specification
		015	016	017	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-
	CI.IL				

	JUL	Result	Client's	
Test Items	CAS No.	Sample 018	Sample 019	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0, 68515-48-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 17 of 22





CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Results [%]			
Phthalates	CAS No.	Sample 001+002 +005	Sample 003	Sample 004	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 18 of 22





CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Results [%]			
Phthalates	CAS No.	Sample 006+008 +009	Sample 011+013	Sample 014	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 19 of 2





CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	Limit	
Phthalates	CAS No.	Sample 015	Sample 016	Sample 017	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 20 of 22





CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

	Re		ts [%]	Limit
Phthalates	CAS No.	Sample 018	Sample 019	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 010	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 21 of 22





3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254 With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

	F			
Test Item	Sample	Sample	Sample	Limit [mg/kg]
	001+002+005	003+004+007	006+008+009	
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]			
Test Item	Sample	Sample	Sample	Limit [mg/kg]	
	010	011+013	012		
Mercury	N.D.	N.D.	N.D.	≤1000	
Conclusion	Pass	Pass	Pass	-	

Test Item	Results [mg/kg]			
	Sample 014	Sample 015	Sample 016	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

	F			
Test Item	Sample 017	Sample 018	Sample 019	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "≤" denotes less than or equal to

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 22 of 22

