

Applicant	: SPECTOR
Address	: /
Sample Description	: Vinyl journal w/ 3M double sided tape cover perfect bound w/ ribbon bookmark
Item No.	: ST4183
Style No.	: WILD
Supplier	: USS079
Country of Origin	: China
Exported to	: Canada & U.S.A.
Test Sample Receipt Date, Location	: 2019-09-19, Shenzhen
Test Period, Location	: From 2019-09-23 to 2019-09-29, Shenzhen
Test Result(s)	: Refer to Section 3

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 1 of 8



Test Report No.: 68.431.19.04685.01 Dated: 2019-09-30



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion	
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*	
١.	Materials	F 855	
2.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*	
Ζ.	Materials	r 455	
	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass	
	83 - Total Lead Content Test	F 455	
4.	Phthalates Content	Pass*	
5.	US California Proposition 65 - Phthalates Content	Pass*	
6.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass	

Remarks:

(1) The results relate only to the items tested.

(2) Samples are tested as received.

(3) "*" denotes the conclusion was drawn according to the client's specification.

(4) The test item and samples were specified by the client

(5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

<Cara Xiang> <Senior Project Coordinator>



Reviewed by:

<Ken Chen> <Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 2 of 8





1. Description of the Test Sample:

Sample Description Vinyl journal w/ 3M double sided tape cover perfect bound			
	w/ ribbon bookmark		

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black PVC (Cover)	
T2	002	Grey PVC (Cover)	
Т3	003	Army green PVC (Cover)	
T4	004	SÜD Black soft plastic (Elastic band)	

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 3 of 8





3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [Results [mg/kg]		
Test item	Sample 001+002+003	Sample 004	Specification [mg/kg]	
Cadmium	N.D.	N.D.	<75	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Client's		
Test Item	Sample 001+002+003	Sample 004	Specification [mg/kg]	
Lead	N.D.	N.D.	<100	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 4 of 8





3.3 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]			
Analyte	Sample	Sample		
	001+002+003	004		
Lead	N.D.	N.D.		
Limit	<90			
Conclusion	Pass	Pass		

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 5 of 8





3.4 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]		Client's	
Test Items	CAS No.	Sample 001+002+003	Sample 004	Specification [%]	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1	
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1	
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1	
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1	
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1	
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1	
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1	
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1	
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	-	

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 6 of 8





3.5 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]		Client's	
Test Items	CAS No.	Sample 001+002+003	Sample 004	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0, 68515-49-1	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0, 68515-48-0	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	-	

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 7 of 8





3.6 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Results [%]		Limit
Phthalates	CAS No.	Sample 001+002+003	Sample 004	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

-- END OF TEST REPORT--

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 8 of 8

