

Dated: 2019-12-13



Applicant : Spector & Co

Address : /

Sample Description : Wireless Powerbank

Product Type / End Use : Tech

Item No. : T1042

Style No. : KEPLER

Supplier : USU019

Country of Origin : China

Exported to : Canada & U.S.A.

Test Sample Receipt Date, Location : 2019-10-16, 2019-11-27, 2019-12-06, Shenzhen

Test Period, Location : From 2019-10-16 to 2019-12-12, Shenzhen

Test Result(s) : Refer to Section 3

Purpose Of Examination / Conclusion:

| No. | Test Item(s) | Conclusion |
|-----|--|------------|
| 1. | US California Proposition 65 - Total Cadmium Content Test - Substrate | Pass* |
| '- | Materials | 1 033 |
| 2. | US California Proposition 65 - Total Cadmium Content Test - Paint and | Pass* |
| ۷. | Similar Surface-Coating Materials | 1 055 |
| 3. | US California Proposition 65 - Total Lead Content Test - Substrate | Pass* |
| J. | Materials | 1 433 |
| 4. | US California Proposition 65 - Total Lead Content Test - Paint and Similar | Pass* |
| ٦. | Surface-Coating Materials | 1 433 |
| 5. | Canadian Consumer Products Containing Lead Regulations SOR/2018- | Pass |
| J. | 83 - Total Lead Content Test | 1 033 |
| 6. | Canadian Surface Coating Materials Regulations SOR/2016-193 – | Pass |
| 0. | Total Lead Content Test | 1 033 |
| 7. | Phthalates Content (11P) | Pass* |
| | | |

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-12-13



| No. | Test Item(s) | Conclusion |
|-----|--|--------------|
| 8. | US California Proposition 65 - Phthalates Content (6P) | Pass* |
| 9. | U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates | Pass |
| 9. | Content (8P) | 1 033 |
| 10. | Tungsten Content Test | Report as is |
| 11 | Canadian Products Containing Mercury Regulations SOR/2014-254 - | Pass |
| 11. | Total Mercury Content Test | 1 000 |

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>

<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Shenzhen Branch

Phone: +86 755 8828 6998

Dated: 2019-12-13



1. Description of the Test Sample:

| Sample Description | Wireless Powerbank |
|--------------------|--------------------|
| | |

2. List of Materials as identified by the Laboratory:

| T. No. | Sample No. | Colour and Description | Photograph |
|--------|------------|--|---|
| T1 | 001 | Clear / grey coating (Powerbank) | |
| T2 | 002 | Black plastic (Powerbank) | |
| Т3 | 003 | Black soft plastic (Sucker) | |
| T4 | 004 | Clear plastic (Screen) | |
| T5 | 005 | Matt black plastic (Socket of USB) | |
| T6 | 006 | Translucent plastic (Indicator light) | |
| T7 | 007 | Silvery metal (Socket of charge) | |
| Т8 | 008 | Clear laminated black / yellow printed white plastic sticker (Warning label) | |
| Т9 | 009 | Black PVC w/ white printing (Cable) | |
| T10 | 010 | Black PVC (Large plug) | 1 2 3 4 5 6 7 8 9 70 1 2 3 4 5 6 7 8 9 80 1 2 3 4 5 6 7 8 |
| T11 | 011 | Black PVC (Small plug) | |
| T12 | 012 | Silvery metal (Large plug) | |
| T13 | 013 | Silvery metal (Small plug) | |
| T14 | 014 | White plastic (Inner large plug) | |
| T15 | 015 | Black plastic (Inner small plug) | |

Dated: 2019-12-13



3. **Test Result**

US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

| | R | Results [mg/kg] | | |
|------------|----------------------------|--------------------|------------------------|------------------------|
| Test item | Sample | Sample | Sample | Specification |
| Cadmium | 002+004+005 N.D. | 003 N.D. | 006+008 N.D. | [mg/kg] <75 |
| Conclusion | Pass | Pass | Pass | - |

| | | Results [mg/kg] | | |
|------------|---------------|--------------------|---------------|-----------------------|
| Test item | Sample 007 | Sample 009+010+011 | Sample 012 | Specification [mg/kg] |
| Cadmium | N.D. | N.D. | N.D. | <75 |
| Conclusion | Pass | Pass | Pass | - |

| | Results | Client's | |
|------------|---------------|-------------------|-----------------------|
| Test item | Sample 013 | Sample 014+015 | Specification [mg/kg] |
| Cadmium | N.D. | N.D. | <75 |
| Conclusion | Pass | Pass | - |

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-3.2 **Coating Materials**

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

| | Results [mg/kg] | Client's |
|------------|-----------------|---------------|
| Test Item | Sample | Specification |
| | 001 | [mg/kg] |
| Cadmium | N.D. | <75 |
| Conclusion | Pass | - |

Note:

Shenzhen Branch

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998 Laboratory: Regd. Office:

Web: http://www.tuv-sud.cn

TÜV SÜD Certification and Fax: +86 755 8828 5299 Testing (China) Co., Ltd. E-mail: toys_hardline@tuv-sud.hk TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China Page 4 of 15

Dated: 2019-12-13



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

| | R | Results [mg/kg] | | |
|------------|--------------------|-----------------|-------------------|-----------------------|
| Test Item | Sample 002+004+005 | Sample 003 | Sample 006+008 | Specification [mg/kg] |
| Lead | N.D. | N.D. | N.D. | <100 |
| Conclusion | Pass | Pass | Pass | - |

| | | | Results [mg/kg] | | |
|------------|--|---------------|--------------------|---------------|-----------------------|
| Test Item | | Sample 007 | Sample 009+010+011 | Sample 012 | Specification [mg/kg] |
| Lead | | N.D. | N.D. | N.D. | <100 |
| Conclusion | | Pass | Pass | Pass | - |

| | Results | Client's | |
|------------|---------------|-------------------|-----------------------|
| Test Item | Sample 013 | Sample 014+015 | Specification [mg/kg] |
| Lead | N.D. | N.D. | <100 |
| Conclusion | Pass | Pass | - |

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

| | Results [mg/kg] | Client's |
|------------|-----------------|---------------|
| Test Item | Sample | Specification |
| | 001 | [mg/kg] |
| Lead | N.D. | <90 |
| Conclusion | Pass | - |

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

Nantou Checkpoint Road 2, 518052, P. R. China

Dated: 2019-12-13



3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

| | | Result [mg/kg] | | | | | |
|------------|--------|----------------|--------|--|--|--|--|
| Analyte | Sample | Sample | Sample | | | | |
| | 001 | 002+004+005 | 003 | | | | |
| Lead | N.D. | N.D. | N.D. | | | | |
| Limit | | <90 | | | | | |
| Conclusion | Pass | Pass | Pass | | | | |

| | / / | Result [mg/kg] | | | | |
|------------|-------------------|----------------|-----------------------|--|--|--|
| Analyte | Sample 006+008 | Sample 007 | Sample 009+010+011 | | | |
| Lead | N.D. | N.D. | N.D. | | | |
| Limit | | <90 | | | | |
| Conclusion | Pass | Pass | Pass | | | |

| | | Result [mg/kg] | | | | |
|------------|---------------|----------------|-------------------|--|--|--|
| Analyte | Sample 012 | Sample 013 | Sample 014+015 | | | |
| Lead | N.D. | N.D. | N.D. | | | |
| Limit | | <90 | | | | |
| Conclusion | Pass | Pass | Pass | | | |

Note 1. "mg/kg" denotes milligram per kilogram

3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

| | Result [mg/kg] |
|------------|----------------|
| Analyte | Sample |
| | 001 |
| Lead | N.D. |
| Limit | <90 |
| Conclusion | Pass |

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

Page 6 of 15

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Dated: 2019-12-13



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

| | | F | Results [%] | | | |
|-----------------------------------|----------------------------|---------------|---------------------------|---------------|----------------------------------|--|
| Test Items | CAS No. | Sample 001 | Sample 002+004 +005 | Sample 003 | Client's Specification [%] | |
| Di-(2-ethylhexyl)-phthalat (DEHP) | 117-81-7 | N.D. | N.D. | N.D. | <0.1 | |
| Dibutylbenzylphthalat (DBP) | 84-74-2 | N.D. | N.D. | N.D. | <0.1 | |
| Diethyl phthalate (DEP) | 84-66-2 | N.D. | N.D. | N.D. | <0.1 | |
| Butylbenzylphthalat (BBP) | 85-68-7 | N.D. | N.D. | N.D. | <0.1 | |
| Di-iso-butylphthalat (DIBP) | 84-69-5 | N.D. | N.D. | N.D. | <0.1 | |
| Di-isononyl phthalate (DINP) | 28553-12-0 , 68515-48-0 | N.D. | N.D. | N.D. | <0.1 | |
| Di-isodecylphthalat (DIDP) | 26761-40-0 , 68515-49-1 | N.D. | N.D. | N.D. | <0.1 | |
| Di-n-octylphthalat (DNOP) | 117-84-0 | N.D. | N.D. | N.D. | <0.1 | |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | N.D. | N.D. | N.D. | <0.1 | |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | N.D. | N.D. | N.D. | <0.1 | |
| Di-n-pentyphthalat (DNPP) | 131-18-0 | N.D. | N.D. | N.D. | <0.1 | |
| Conclusion | | Pass | Pass | Pass | - | |

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

| | | F | Results [% | [] | Client's | |
|-----------------------------------|----------------------------|----------------|------------|-------------|-------------------|--|
| Test Items | CAS No. | Sample 006+008 | Sample 009 | Sample 010* | Specification [%] | |
| Di-(2-ethylhexyl)-phthalat (DEHP) | 117-81-7 | N.D. | 0.016 | N.D. | <0.1 | |
| Dibutylbenzylphthalat (DBP) | 84-74-2 | N.D. | N.D. | N.D. | <0.1 | |
| Diethyl phthalate (DEP) | 84-66-2 | N.D. | N.D. | N.D. | <0.1 | |
| Butylbenzylphthalat (BBP) | 85-68-7 | N.D. | N.D. | N.D. | <0.1 | |
| Di-iso-butylphthalat (DIBP) | 84-69-5 | N.D. | N.D. | N.D. | <0.1 | |
| Di-isononyl phthalate (DINP) | 28553-12-0 , 68515-48-0 | N.D. | N.D. | N.D. | <0.1 | |
| Di-isodecylphthalat (DIDP) | 26761-40-0 , 68515-49-1 | N.D. | N.D. | N.D. | <0.1 | |
| Di-n-octylphthalat (DNOP) | 117-84-0 | N.D. | N.D. | N.D. | <0.1 | |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | N.D. | N.D. | N.D. | <0.1 | |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | N.D. | N.D. | N.D. | <0.1 | |
| Di-n-pentyphthalat (DNPP) | 131-18-0 | N.D. | N.D. | N.D. | <0.1 | |
| Conclusion | | Pass | Pass | Pass | - | |

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "*" denotes sample was received on 2019-12-06.

Dated: 2019-12-13



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

| | | Resul | ts [%] | Client's |
|-----------------------------------|----------------------------|---------------|-------------------|-------------------|
| Test Items | CAS No. | Sample 011 | Sample 014+015 | Specification [%] |
| Di-(2-ethylhexyl)-phthalat (DEHP) | 117-81-7 | N.D. | N.D. | <0.1 |
| Dibutylbenzylphthalat (DBP) | 84-74-2 | N.D. | N.D. | <0.1 |
| Diethyl phthalate (DEP) | 84-66-2 | N.D. | N.D. | <0.1 |
| Butylbenzylphthalat (BBP) | 85-68-7 | N.D. | N.D. | <0.1 |
| Di-iso-butylphthalat (DIBP) | 84-69-5 | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate (DINP) | 28553-12-0 , 68515-48-0 | 0.020 | N.D. | <0.1 |
| Di-isodecylphthalat (DIDP) | 26761-40-0 , 68515-49-1 | N.D. | N.D. | <0.1 |
| Di-n-octylphthalat (DNOP) | 117-84-0 | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | N.D. | N.D. | <0.1 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | N.D. | N.D. | <0.1 |
| Di-n-pentyphthalat (DNPP) | 131-18-0 | N.D. | N.D. | <0.1 |
| Conclusion | | Pass | Pass | - |

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

| | | F | Results [% | .] | Client's |
|--------------------------------------|----------------------------|---------------|---------------------------|---------------|-------------------|
| Test Items | CAS No. | Sample 001 | Sample 002+004 +005 | Sample 003 | Specification [%] |
| Dibutyl phthalate, (DBP) | 84-74-2 | N.D. | N.D. | N.D. | <0.1 |
| Bis (2-ethylhexyl) phthalate, (DEHP) | 117-81-7 | N.D. | N.D. | N.D. | <0.1 |
| Benzyl butyl phthalate, (BBP) | 85-68-7 | N.D. | N.D. | N.D. | <0.1 |
| Di-isodecyl phthalate, (DIDP) | 26761-40-0 , 68515-49-1 | N.D. | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DNHP) | 84-75-3 | N.D. | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate, (DINP) | 28553-12-0 , 68515-48-0 | N.D. | N.D. | N.D. | <0.1 |
| Conclusion | SIII | Pass | Pass | Pass | - |

| | | R | esults [% | ·] | Client's |
|--------------------------------------|----------------------------|----------------|---------------|-------------|-------------------|
| Test Items | CAS No. | Sample 006+008 | Sample 009 | Sample 010* | Specification [%] |
| Dibutyl phthalate, (DBP) | 84-74-2 | N.D. | N.D. | N.D. | <0.1 |
| Bis (2-ethylhexyl) phthalate, (DEHP) | 117-81-7 | N.D. | 0.016 | N.D. | <0.1 |
| Benzyl butyl phthalate, (BBP) | 85-68-7 | N.D. | N.D. | N.D. | <0.1 |
| Di-isodecyl phthalate, (DIDP) | 26761-40-0 , 68515-49-1 | N.D. | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DNHP) | 84-75-3 | N.D. | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate, (DINP) | 28553-12-0 , 68515-48-0 | N.D. | N.D. | N.D. | <0.1 |
| Conclusion | | Pass | Pass | Pass | - |

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "*" denotes sample was received on 2019-12-06.

Nantou Checkpoint Road 2, 518052, P. R. China

Dated: 2019-12-13



3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

| | | Resul | ts [%] | Client's |
|--------------------------------------|----------------------------|---------------|-------------------|-------------------|
| Test Items | CAS No. | Sample 011 | Sample 014+015 | Specification [%] |
| Dibutyl phthalate, (DBP) | 84-74-2 | N.D. | N.D. | <0.1 |
| Bis (2-ethylhexyl) phthalate, (DEHP) | 117-81-7 | N.D. | N.D. | <0.1 |
| Benzyl butyl phthalate, (BBP) | 85-68-7 | N.D. | N.D. | <0.1 |
| Di-isodecyl phthalate, (DIDP) | 26761-40-0 , 68515-49-1 | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DNHP) | 84-75-3 | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate, (DINP) | 28553-12-0 , 68515-48-0 | 0.020 | N.D. | <0.1 |
| Conclusion | | Pass | Pass | - |

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

| | | F | Results [% | b] | |
|--------------------------------------|----------------------------|---------------|---------------------|---------------|--------------|
| Phthalates | CAS No. | Sample 001 | Sample 002+004 +005 | Sample 003 | Limit [%] |
| Dibutyl phthalate, (DBP) | 84-74-2 | N.D. | N.D. | N.D. | <0.1 |
| Benzyl butyl phthalate, (BBP) | 85-68-7 | N.D. | N.D. | N.D. | <0.1 |
| Bis (2-ethylhexyl) phthalate, (DEHP) | 117-81-7 | N.D. | N.D. | N.D. | <0.1 |
| Diisobutylphthalate, (DIBP) | 84-69-5 | N.D. | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DHEXP) | 84-75-3 | N.D. | N.D. | N.D. | <0.1 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | N.D. | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate, (DINP) | 28553-12-0 , 68515-48-0 | N.D. | N.D. | N.D. | <0.1 |
| Di-n-pentyl phthalates (DPENP) | 131-18-0 | N.D. | N.D. | N.D. | <0.1 |
| Conclusion | | Pass | Pass | Pass | - |

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

| | | R | esults [% | ·] | Limit |
|--------------------------------------|----------------------------|-----------------------------|---------------|-------------|-------|
| Phthalates | CAS No. | CAS No. Sample S 006+008 | Sample 009 | Sample 010* | [%] |
| Dibutyl phthalate, (DBP) | 84-74-2 | N.D. | N.D. | N.D. | <0.1 |
| Benzyl butyl phthalate, (BBP) | 85-68-7 | N.D. | N.D. | N.D. | <0.1 |
| Bis (2-ethylhexyl) phthalate, (DEHP) | 117-81-7 | N.D. | 0.016 | N.D. | <0.1 |
| Diisobutylphthalate, (DIBP) | 84-69-5 | N.D. | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DHEXP) | 84-75-3 | N.D. | N.D. | N.D. | <0.1 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | N.D. | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate, (DINP) | 28553-12-0 , 68515-48-0 | N.D. | N.D. | N.D. | <0.1 |
| Di-n-pentyl phthalates (DPENP) | 131-18-0 | N.D. | N.D. | N.D. | <0.1 |
| Conclusion | | Pass | Pass | Pass | - |

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

^{4. &}quot;*" denotes sample was received on 2019-12-06.

Dated: 2019-12-13



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

| | | Results [%] | | Limit |
|--------------------------------------|----------------------------|---------------|-------------------|-------|
| Phthalates | CAS No. | Sample 011 | Sample 014+015 | [%] |
| Dibutyl phthalate, (DBP) | 84-74-2 | N.D. | N.D. | <0.1 |
| Benzyl butyl phthalate, (BBP) | 85-68-7 | N.D. | N.D. | <0.1 |
| Bis (2-ethylhexyl) phthalate, (DEHP) | 117-81-7 | N.D. | N.D. | <0.1 |
| Diisobutylphthalate, (DIBP) | 84-69-5 | N.D. | N.D. | <0.1 |
| Di-n-hexyl phthalate (DHEXP) | 84-75-3 | N.D. | N.D. | <0.1 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | N.D. | N.D. | <0.1 |
| Di-isononyl phthalate, (DINP) | 28553-12-0 , 68515-48-0 | 0.020 | N.D. | <0.1 |
| Di-n-pentyl phthalates (DPENP) | 131-18-0 | N.D. | N.D. | <0.1 |
| Conclusion | | Pass | Pass | - |

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-12-13



3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

| | Results [mg/kg] | Client's |
|------------|-----------------|-----------------------|
| Test Item | Sample 012 | Specification [mg/kg] |
| Tungsten | N.D. | - |
| Conclusion | Report as is | - |

Note:

"mg/kg" denotes milligram per kilogram

"<" denotes less than

"N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254

With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

| | 20 | Results [mg/kg] | | |
|------------|------------|--------------------|---------------|---------------|
| Test Item | Sample 001 | Sample 002+004+005 | Sample 003 | Limit [mg/kg] |
| Mercury | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | Pass | Pass | Pass | - |

| | Results [mg/kg] | | | |
|------------|-------------------|---------------|--------------------|---------------|
| Test Item | Sample 006+008 | Sample 007 | Sample 009+010+011 | Limit [mg/kg] |
| Mercury | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | Pass | Pass | Pass | - |

| | Results [mg/kg] | | | |
|------------|-----------------|---------------|-------------------|---------------|
| Test Item | Sample 012 | Sample 013 | Sample 014+015 | Limit [mg/kg] |
| Mercury | N.D. | N.D. | N.D. | ≤1000 |
| Conclusion | Pass | Pass | Pass | - |

Note 1. "mg/kg" denotes milligram per kilogram

2. "≤" denotes less than or equal to

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

E-mail: toys_hardline@tuv-sud.hk Building 12&13, Zhiheng Wisdomland Business Park, Web: http://www.tuv-sud.cn Nantou Checkpoint Road 2, 518052, P. R. China



Technical Report No. 68.740.19.0352.01 dated 2019-10-31

Applicant for this report...... Spector & Co

Internal code...... USB034

Testing laboratory Shenzhen HUAK Testing Technology Co., Ltd.

1F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Fuhai

Street, Bao'an District, Shenzhen City, China

Test item Wireless Power bank

Model/Type reference: T1042

Order No: 7485094656

Order content: FCC test report review

Test specification...... FCC Test report review for report no. HK1909302469-1E and

HK1909302469-2E;

FCC Rules and Regulations Part 15 Subpart C (Section 15.209).

ANSI C63.10: 2013;

FCC CFR 47 part1, 1.1310 KDB680106 D01v03 (3)(3)

Date of receipt of document.....: 2019-10-30

Date of performance of review......: 2019-10-31

Test result...... See Page 2

Handled by:

Dawi Xu

Project Engineer

Reviewed by:

Laurent Yuan

Project Manager

Remark:

- 1. No test sample due to review only.
- 2. Test reports HK1909302469-1E and HK1909302469-2E were issued by Shenzhen HUAK Testing Technology Co., Ltd. It is submitted for verification.

Project No: 68.740.19.0352.01

Rev.: 00 Date: 2019-10-31 Page: 1 of 2 Telephone: +86 755 8828 6998 Telefax: +86 755 8828 5299

http://www.tuv-sud.cn

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch, TÜV SÜD Group Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, Nanshan District, Shenzhen City, 518052, P.R. China



Technical Report No. 68.740.19.0352.01 dated 2019-10-31

1. General product information:

The product (Product name: Wireless Power bank, Model name: T1042).

2. Submitted Documents

FCC test report (report No.: HK1909302469-1E, HK1909302469-2E)

FCC IDENTIFIER: 2ARPF-T1042

3. Result

All the documents check is based on & compare with the public information on FCC official website: https://apps.fcc.gov/oetcf/eas/reports/GenericSearch.cfm

| Item(s) | Requirement(s) | *Result(s) | Remark(s) |
|---------|--------------------------------|------------|------------------------|
| 1 | Applicant, EUT Name, Model No. | Р | Refer to remark below |
| 2 | Applied Standards | Р | Refer to remark below. |
| 3 | Applied Test Items | Р | Refer to remark below. |
| 4 | Standard requirement | Р | Refer to remark below. |
| 481 | | | |

*Notes:

P: Pass/valid; F: Fail/invalid; N.C.: Need to Clarify; N.A.: Not Applicable; T.M.: Typing Mistake;

Remark:

"P": the provided report/certificate in identical with the public information on FCC official website, and the report/certificate is Valid. the responsibility for the accuracy and acceptance of the test data inside test report no. HK1909302469-1E and HK1909302469-2E were not covered by this test report.

Project No: 68.740.19.0352.01 Rev.: 00

Rev.: 00 Date: 2019-10-31 Page: 2 of 2 Telephone: +86 755 8828 6998 Telefax: +86 755 8828 5299

http://www.tuv-sud.cn

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch, TÜV SÜD Group Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, Nanshan District, Shenzhen City, 518052,

P.R. China