

Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 1 of 22

Applicant: USC056

Address:

Report on the submitted sample(s) said to be:

Sample Name: See Sample List

Sample Model: See Sample List

Manufacturer: USC056

Address:

Aug.03, 2015

Sample Received Date: Aug.03, 2015 to Aug.11, 2015

Testing Period:

Test Method: Please refer to following page(s).

Test Result: Please refer to following page(s).

Test Requested: Conclusion

As specified by client, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs content in the submitted sample in accordance with EU RoHS Directive 2011/65/EU and its amendment directives on XRF and Chemical Method.

Pass

Tested by: Felix. Li

Reviewed by:

Wanghuagen, David.Wang

Liwenlong, Felix.Li

Yeanle, Kevin. Ye

Authorized Officer

Approved by: _

Test Engineer Laboratory Supervisor

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.




Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 2 of 22

Sample List:

No.	Sample Name	Model
1 4 5	Power bank	SP825, CPP-3699,PL-1349
2	Power bank	PB06,1558,CPP-3794,CU1528,PL-1348
3	white cable	
4	Black cable	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.

No.1501C







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 3 of 22

Test Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321 Ed 1.0, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq.	Tested Part(s)		Results(mg/kg)					
No.		Cd	Pb	Hg	Cr	Br		
Samp	le 1	T T Thomas	Cornell The April 1	of Global Ca	Giran .	GO		
Tomb.	Blue plastic	BL	BL	BL	BL	BL		
2	Transparency plastic	BL	BL	BL	BL	BL		
3	White plastic cover	BL	BL	BL	BL	BL		
Differ	rence	CO"	The state	J ***				
4	White plastic	BL	BL	BL	BL	BL		
5	Green plastic	BL	BL	BL	BL	BL		
6	Black plastic	BL	BL	BL	BL	BL		
7	Red plastic	BL	BL	BL	BL	BL		
Samp	ole 2	7III	E THE	The Francisco	A Stational C	3000		
1 711	Silver metal shell	BL	BL	BL	BL	70		
2	Blue cladding material	BL	BL	BL	BL	-		
3	White plastic shell	BL	BL	BL	BL	BL		
4	Blue plastic sleeve	BL	BL	BL	BL	BL		
5	Blue adhesive tape	BL	BL	BL	BL	BL		
6	Yellow transparent tape	BL	M BL	BL	BL	BL		
7	Blue piece of paper	OL*	BL	BL	BL	BL		
8	Black piece of sponge	BL	BL	BL	BL	BL		
9	Green plastic sleeve	BL	BL	BL	BL	X*		
10	White plastic circle	BL	BL	BL	BL	BL		
11	Silver metal battery piece	BL	BL	BL	BL	_		
12	Battery	BL	BL	BL	BL	BL		
13	Silver metal shell (USB)	BL	BL	BL	BL	60		

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.








Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 4 of 22

	CO CO			My Jin	THE FILL	30
Seq.	Tested Bout(s)	LID:	41	Results(mg/kg	g) (1)	要 写 of Global
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
14	White piece of plastic (USB)	BL	BL	BL	BL	BL
15	Silver metal lead foot (USB)	BL	BL	BL	BL	Complete -
16	Silver metal shell(android Interface)	BL	BL	BL	BL	CO"
17	Black piece of plastic(android Interface)	BL	BL	BL	BL	BL
18	Silver metal lead foot(android Interface)	BL	BL	BL	BL	distribution of the same of th
19	Black magnetic frame (inductance)	BL	BL	BL	BL	BL
20	Copper coils (inductance)	BL	BL	BL	BL	2.C
21	Black ceramic (U1)	BL	BL	BL	BL	BL
22	Silver metal lead foot(U1)	BL	BL	BL	BL	检测
23	Black ceramic	BL	BL	BL	BL	BL
24	Chip resistor	BL	BL	BL	BL	BL
25	Chip capacitor	BL	BL	BL	BL	BL
26	Chip LED	BL	BL	BL	BL	BL
27	Green PCB board	BL	BL	BL	BL	X*
28	Soldering tin	BL	BL	BL	BL	- Mir. S.
Diffe	rence		711	拉测	平平东	al Compile.
29	Silver cladding material	BL	BL	BL	BL	CO
30	Green cladding material	BL	BL	BL	BL	-
31	Orange cladding material	BL	BL	BL	BL	平 子
32	Red cladding material	BL	BL	BL of the state of	BL	Nices
33	Black cladding material	BL	BL	BL	BL	
34	Purple cladding material	BL	BL	BL	BL	<u>-</u>
Samp	ole 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The Paris	Choose Con.	Septimon of Globan	60°
1	Black plastic handle (USB)	BL	BL	BL	BL	BL
		_				-0.00

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.








Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 5 of 22

Seq.	Total Double	Results(mg/kg)					
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br	
2	Silver metal shell (USB)	BL	BL	BL	BL	- (11)	
3	White hose lining (USB)	BL	BL	BL	BL	BL	
4	Black hose lining USB)	BL	BL	BL	BL	BL	
5	Silver metal lead foot (USB)	BL	BL	BL	BL		
6	Soldering tin (USB)	BL	BL	BL	₩ BL	F The total con	
7	Black plastic handle(android Interface)	BL	BL	BL	BL	BL	
8	Silver metal shell(android Interface)	BL	BL	BL	X*	-	
9	Black glue(android Interface)	BL	BL	BL	BL	X*	
10	Silver piece of metal(android Interface)	BL	BL	BL	X*	ZG M	
11	Silver metal lead foot (wire)	BL	BL	BL	BL	-	
12	Black plastic outside wire jacket (wire)	BL	BL	BL	BL	BL	
13	Red plastic inside wire jacket (wire)	BL	BL	BL	BL	BL	
14	White plastic inside wire jacket (wire)	BL	BL	BL	BL	BL	
15	Copper wire core (wire)	BL	BL	BL	BL	-	
16	White plastic outside wire jacket(white data line)	BL	BL	BL	BL	BL	
17	White plastic handle (white data line)	BL	BL	BL	BL	BL	
Samp	ole 4	1/3	70	1 10 111	平平小	al Complia	
1	Black plastic handle (USB)	BL	BL	BL	BL	BL	
2	Silver metal shell (USB)	BL	BL	BL	BL	-	
3	White hose lining (USB)	BL	BL	BL	BL	BL	
4	Black hose lining USB)	BL	BL	BL	BL	BL	
5	Silver metal lead foot (USB)	BL	BL	BL	BL		
6	Soldering tin (USB)	BL	BL	BL	BL	<u>-</u> 4%	
7	Black plastic handle(android Interface)	BL	BL	BL	BL	BL	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 6 of 22

Seq.	Total Devited	ijil)	- 4 T	Results(mg/kg	g) (1)	F. F. Or Change
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
8	Silver metal shell(android Interface)	BL	BL	BL	X*	- ///
9	Black glue(android Interface)	BL	BL	BL	BL	X*
10	Silver piece of metal(android Interface)	BL	BL	BL	X*	60°
11	Silver metal lead foot (wire)	BL	BL	BL	BL	- 1
12	Black plastic outside wire jacket (wire)	BL	BL	BL	∌ BL	BL
13	Red plastic inside wire jacket (wire)	BL	BL	BL	BL	BL
14	White plastic inside wire jacket (wire)	BL	BL	BL	BL	BL
15	Copper wire core (wire)	BL	BL	BL	BL	4
16	White plastic outside wire jacket(white data line)	BL	BL	BL	BL	BL
17	White plastic handle (white data line)	BL	BL	BL	BL	BL

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Нд	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>111</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	111	BL≤250-3σ <x< td=""></x<>

Note: BL= Below Limit

OL= Over limited X= Inconclusive

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.





[&]quot;-"= Not regulated

^{*=} Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 7 of 22

Remark:

- i Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321 Ed 1.0.
- ii The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2011/65/EU:


RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)				
Cadmium (Cd)	100				
Lead (Pb)	1000				
Mercury (Hg)	1000				
Hexavalent Chromium (Cr(VI))	1000				
Polybrominated biphenyls (PBBs)	1000				
Polybrominated diphenylethers (PBDEs)	1000				

Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 8 of 22

B. The Test Results of Chemical Method:

Test method:

Cd Content:

With reference to IEC 62321 Ed 1.0, by acid digestion and analysis was performed by ICP-AES or AAS.

Hexavalent Chromium Content (For metal material):

With reference to IEC 62321 Ed 1.0 Annex B, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321 Ed 1.0 Annex A, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1. The Test Results of Sample 2

1) The Test Results of Cd

Test Item(s)	Unit	MDL	Result(s)
Cadmium(Cd)	mg/kg	2	N.D.

Note: N.D. = Not Detected or less than MDL

mg/kg = ppm

MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.

No.1501C

www.agc-cert.com

400 089 2118



Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 9 of 22

2) The Test Results of PBBs & PBDEs

Unit:mg/kg


The second of th		Res	U	
Item	MDL	9	27	Limit
Polybrominated Biphenyls (PBBs)				
Monobromobiphenyl	5	N.D.	N.D.	C Glorie
Dibromobiphenyl	5	N.D.	N.D.	
Tribromobiphenyl	5	N.D.	N.D.	MS S
Tetrabromobiphenyl	5	N.D.	N.D.	F Kindal Compli
Pentabromobiphenyl	5	N.D.	N.D.	Total PBBs
Hexabromobiphenyl	5	N.D.	N.D.	Content
Heptabromobiphenyl	5	N.D.	N.D.	<1000 mg/kg
Octabromobiphenyl	5	N.D.	N.D.	
Nonabromodiphenyl	5	N.D.	N.D.	C.C Miller
Decabromodiphenyl	5	N.D.	N.D.	
Total content	27	N.D.	N.D.	liti:
Polybrominated Diphenylethers (PBDEs)				
Monobromodiphenyl ether	5	N.D.	N.D.	an Indian
Dibromodiphenyl ether	5	N.D.	N.D.	
Tribromodiphenyl ether	5	N.D.	N.D.	
Tetrabromodiphenyl ether	5	N.D.	N.D.	不
Pentabromodiphenyl ether	5	N.D.	N.D.	Total PBDEs
Hexabromodiphenyl ether	5	N.D.	N.D.	Content
Heptabromodiphenyl ether	5	N.D.	N.D.	<1000 mg/kg
Octabromodiphenyl ether	5	N.D.	N.D.	Ely Compliant
Nonabromodiphenyl ether	5	N.D.	N.D.	-C
Decabromodiphenyl ether	5	N.D.	N.D.	10
Total content		N.D.	N.D.	极
Conclusion	/	Pass	Pass	#/dopper

Note: N.D. = Not Detected or less than MDL

mg/kg = ppm

MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.







Report No.: A001R20150803022-1S1 Date: Aug. 19, 2015 Page 10 of 22

2. The Test Results of Sample 3

1)The Test Results of metal Cr(VI)

T-4 I4(-)	MDI	Re	T ::4		
Test Item(s)	MDL	8	10	Limit	
Hexavalent Chromium (Cr (VI))	**	Negative	Negative	#	

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- ** = Spot-test:

Negative = Absence of Cr(VI) coating/ surface layer

Positive = Presence of Cr(VI) coating/ surface layer

(The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating/ surface layer

The detected concentration in boiling- water-extraction solution is less than 0.02 mg/kg with 50cm² sample surface areas.

Positive = Presence of Cr(VI) coating/ surface layer

The detected concentration in boiling- water-extraction solution is equal or greater than 0.02 mg/kg with 50cm² sample surface areas.

Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as no conflict with RoHS requirement.

Positive indicates the presence of Cr(VI) on the tested areas.

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com. No.1501C







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 11 of 22

2) The Test Results of PBBs & PBDEs

Unit:mg/kg


- A The state of t	0	Results	Unit.mg/kg			
Item	MDL	9	Limit			
Polybrominated Biphenyls (PBBs)	,					
Monobromobiphenyl	5	N.D.	on of close			
Dibromobiphenyl	5	N.D.	100			
Tribromobiphenyl	5	N.D.	100			
Tetrabromobiphenyl	5	N.D.	The Total Comple			
Pentabromobiphenyl	5	N.D.	Total PBBs			
Hexabromobiphenyl	5	N.D.	Content <1000			
Heptabromobiphenyl	5	N.D.	mg/kg			
Octabromobiphenyl	5	N.D.	Ludinous Alle			
Nonabromodiphenyl	5	N.D.	60°			
Decabromodiphenyl	5	N.D.				
Total content	/	N.D.	1999			
Polybrominated Diphenylethers (PBDEs)						
Monobromodiphenyl ether	5	N.D.	station of Garage			
Dibromodiphenyl ether	5	N.D.				
Tribromodiphenyl ether	5	N.D.	mil			
Tetrabromodiphenyl ether	5	N.D.	The street			
Pentabromodiphenyl ether	5	N.D.	Total PBDEs			
Hexabromodiphenyl ether	5	N.D.	Content < 1000			
Heptabromodiphenyl ether	5	N.D.	mg/kg			
Octabromodiphenyl ether	5	N.D.	E The Compliant			
Nonabromodiphenyl ether	5	N.D.	-C			
Decabromodiphenyl ether	5	N.D.	10			
Total content	/	N.D.	植			
Conclusion	1	Pass	To all control of			

Note: N.D. = Not Detected or less than MDL

mg/kg = ppm

MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.







Report No.: A001R20150803022-1S1 Date: Aug. 19, 2015 Page 12 of 22

3. The Test Results of Sample 4

1)The Test Results of metal Cr(VI)

Total Manual	MDI	Re	T ::4	
Test Item(s)	MDL	8	10	Limit
Hexavalent Chromium (Cr (VI))	**	Negative	Negative	#

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- ** = Spot-test:

Negative = Absence of Cr(VI) coating/ surface layer

Positive = Presence of Cr(VI) coating/ surface layer

(The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed)

Boiling-water-extraction:

Negative = Absence of Cr(VI) coating/ surface layer

The detected concentration in boiling- water-extraction solution is less than 0.02 mg/kg with 50cm² sample surface areas.

Positive = Presence of Cr(VI) coating/ surface layer

The detected concentration in boiling- water-extraction solution is equal or greater than 0.02 mg/kg with 50cm² sample surface areas.

Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as no conflict with RoHS requirement.

Positive indicates the presence of Cr(VI) on the tested areas.

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com. No.1501C







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 13 of 22

2) The Test Results of PBBs & PBDEs

Unit:mg/kg


Item	0	Results 9	Limit
	MDL		
Polybrominated Biphenyls (PBBs)			
Monobromobiphenyl	5	N.D.	Total PBBs Content <1000 mg/kg
Dibromobiphenyl	5	N.D.	
Tribromobiphenyl	5	N.D.	
Tetrabromobiphenyl	5	N.D.	
Pentabromobiphenyl	5	N.D.	
Hexabromobiphenyl	5	N.D.	
Heptabromobiphenyl	5	N.D.	
Octabromobiphenyl	5	N.D.	
Nonabromodiphenyl	5	N.D.	
Decabromodiphenyl	5	N.D.	
Total content	/	N.D.	
Polybrominated Diphenylethers (PBDEs)			
Monobromodiphenyl ether	5	N.D.	Total PBDEs Content <1000 mg/kg
Dibromodiphenyl ether	5	N.D.	
Tribromodiphenyl ether	5	N.D.	
Tetrabromodiphenyl ether	5	N.D.	
Pentabromodiphenyl ether	5	N.D.	
Hexabromodiphenyl ether	o statutor o	N.D.	
Heptabromodiphenyl ether	5	N.D.	
Octabromodiphenyl ether	5	N.D.	
Nonabromodiphenyl ether	5	N.D.	
Decabromodiphenyl ether	5	N.D.	
Total content	/	N.D.	
Conclusion	1	Pass	To all control of

Note: N.D. = Not Detected or less than MDL

mg/kg = ppm

MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.









Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 14 of 22

Test Flow Chart



3.For PBBs & PBDEs



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 15 of 22

Remark:

- 1.As client's request, the test result(s) of sample 4 are copied from the test result(s) of sample 3 in this report.
- 2. This report is to supersede the report with No.: A001R20150803022-1 dated on Aug.11, 2015.







The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.









Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 16 of 22

The photo of the sample 2





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.


No.1501C


www.agc-cert.com






Date: Aug.19, 2015 Report No.: A001R20150803022-1S1 Page 17 of 22





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com. No.1501C







Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 18 of 22





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.









Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 19 of 22

The photo of the sample 3





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.









Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 20 of 22





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.









Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 21 of 22

The photo of the sample 4





The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.

No.1501C


www.agc-cert.com





Report No.: A001R20150803022-1S1 Date: Aug.19, 2015 Page 22 of 22





AGC authenticate the photo only on original report

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com. No.1501C

www.agc-cert.com

