

Test Report No.: 68.431.21.01961.01

Dated: 2021-05-20



Applicant : Spector & Co

Address : /

Sample Description : LUGGAGE TAG

Product Type / End Use : luggage Tag

Item No. : EC502

Style No. : AQUA

Supplier : USG025

Country of Origin : CHINA

Country of Destination : CANADA & U.S.A.

Test Sample Receipt Date, Location : 2021-03-23, Shenzhen

Test Period, Location : From 2021-03-29 to 2021-04-22, Shenzhen

Test Result(s) : Refer to Section 3

Laboratory:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
3.	US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Lead Content Test	Pass
7.	Phthalates Content (11P)	Pass*
8.	US California Proposition 65 - Phthalates Content (6P)	Pass*
9.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
10.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Mercury Content Test	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client.
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expanded uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 TÜV SÜD Group

Prepared by:

Reviewed by:

Test Report No.: 68.431.21.01961.01

Dated: 2021-05-20



Cara



Ken

<Cara Xiang>
<Senior Project Coordinator>

<Ken Chen>
<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.



Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

1. Description of the Test Sample:

Sample Description	LUGGAGE TAG
---------------------------	-------------

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Dark grey fabric (Luggage tag)	
T2	002	Black plastic (Mesh)	
T3	003	Black printed white paper card (Luggage tag)	
T4	004	Transparent / white coating (Logo)	
T5	005	White non-woven with black plastic (Luggage tag)	



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials


Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 001	Sample 002	Sample 003	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 005	
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg






3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 004	
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg





3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials


Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 001	Sample 002	Sample 003	
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 005	
Lead	N.D.	<100
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg






3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 004	
Lead	N.D.	<90
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg





3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83
 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]		
	Sample 001	Sample 002	Sample 003
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]	
	Sample 004	Sample 005
Lead	N.D.	N.D.
Limit	<90	
Conclusion	Pass	Pass

- Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than
 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193


Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]
	Sample 004
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv sud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 002	Sample 003	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]		Client's Specification [%]
		Sample 004	Sample 005	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 002	Sample 003	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Test Items	CAS No.	Results [%]		Client's Specification [%]
		Sample 004	Sample 005	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 001	Sample 002	Sample 003	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]		Limit [%]
		Sample 004	Sample 005	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%



3.10 Total Mercury Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]


Test Item	Results [mg/kg]	Limit [mg/kg]
	Sample 010	
Mercury	N.D.	<10
Conclusion	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--



Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China