<b>9AI</b>			
TEST REPORT			
Test Report #	19W-011491	Date of Report Issue:	August 1, 2019
Date of Sample Received:	July 26, 2019	Pages:	Page 1 of 17
CLIENT INFORMATION:			
Company:	Spector & Co.		
Address:	-		
SAMPLE INFORMATION:			
Description:	BALLPOINT PEN		456780404234567904444934567
Assortment:	XXX		
Model/style No.:	ZETTA		
SKU No.:	G1106		
Item No./Item Name:	-		
Factory/Supplier:	USS049		
Country of Origin:	China		
Country of Distribution:	Canada		
Testing Period:	07/29/2019-08/01/2019		

**OVERALL RESULT:** 

 $^{
m P}$  PASS with information

Please refer to the following pages for test result summary and appropriate notes.

HANGZHOU ASIAINSPECTION TESTING TECHNOLOGY CO., LTD

Kein.lee

Kevin Lee Technical Manager

> CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Date of Sample Received:

19W-011491 July 26, 2019 Date of Report Issue:August 1, 2019Pages:Page 2 of 17

## **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	California Proposition 65, Total Cadmium in Paints and Surface Coatings
PASS	California Proposition 65, Total Cadmium in Substrate Materials
Refer to Detailed Results	Client's Requirement, Total Tungsten content
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates(DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)
PASS	Client's Requirement, Phthalates content



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



## **DETAILED RESULTS:**

### California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method:CPSC-CH-E1003-09.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+4	5+6+8	9			Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND			90
Conclusion	PASS	PASS	PASS			

Note: mg/kg =Milligrams per kilogram LT = Less than ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

### **DETAILED RESULTS:**

## California Proposition 65, Total Lead in Substrate Materials

Test Method:CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3+7+10	11+12+13	14	15		Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

*Note:* mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit =15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

#### **DETAILED RESULTS:**

## Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings

Test Method:	ASTM F963-17 Clause 8.3.1
Analytical Method:	Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+4	5+6+8	9			Total
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND	ND	ND			90
Total Mercury (Hg)	ND	ND	ND			10
Conclusion	PASS	PASS	PASS			

Note:

mg/kg=Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit: Pb=15 mg/kg; Hg = 10 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

## **DETAILED RESULTS:**

## Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method:ASTM F963-17 Clause 8.3.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3+7+10	11+12+13	14	15		Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND		90
Conclusion	PASS	PASS	PASS	PASS		

Note:

mg/kg=Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

### **DETAILED RESULTS:**

## California Proposition 65, Total Cadmium in Paints and Surface Coatings

Test Method:ASTM F963-17 Clause 8.3.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+4	5+6+8	9			Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND	ND	ND			75
Conclusion	PASS	PASS	PASS			

Note: mg/kg =Milligrams per kilogram LT = Less than ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

### **DETAILED RESULTS:**

## California Proposition 65, Total Cadmium in Substrate Materials

Test Method:ASTM F963-17 Clause 8.3.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3+7+10	11+12+13	14	15		Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Cadmium (Cd)	ND	ND	ND	ND		75
Conclusion	PASS	PASS	PASS	PASS		

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

#### **DETAILED RESULTS:**

## **Client's Requirement, Total Tungsten content**

## Test Method:US EPA 3052:1996 & US EPA 6010D:2014Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14	15				Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Tungsten (W)	8371	173				
Conclusion	Information only	Information only				

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

## **DETAILED RESULTS:**

## California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen No.		1+2+4	3+7+10	5+6+8	9	Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	1000
Conclusion	1	PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

### **DETAILED RESULTS:**

## California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen N	0.	11+12+13				Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND				1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND				1000
Conclusior	1	PASS				

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

#### **DETAILED RESULTS:**

# CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method:	CPSC-CH-C1001-09.4(Modified), In-House Method
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen N	0.	1+2+4	3+7+10	5+6+8	9	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	1000
Conclusior	1	PASS	PASS	PASS	PASS	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

#### **DETAILED RESULTS:**

# CPSC 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method:	CPSC-CH-C1001-09.4(Modified), In-House Method
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen N	0.	11+12+13				Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND				1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND				1000
Diisobutyl phthalate (DIBP)	84-69-5	ND				1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND				1000
Conclusior	1	PASS				

Note:

mg/kg = Milligrams per kilogram LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



CTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



#### **DETAILED RESULTS:**

### **Client's Requirement, Phthalates content**

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen No	).	1+2+4	3+7+10	5+6+8	9	Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result (mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND	ND	ND	ND	1000
Diethyl phthalate (DEP)	84-66-2	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND	ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

 • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158

 • A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



#### **DETAILED RESULTS:**

## **Client's Requirement, Phthalates content**

Test Method:	CPSC-CH-C1001-09.4
Analytical Method:	Gas Chromatography with Mass Spectrometry

Specimen No	).	11+12+13				Limit
Test Item	CAS No.	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	Result ( mg/kg)	( mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND				1000
Benzyl butyl phthalate (BBP)	85-68-7	ND				1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND				1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND				1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND				1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND				1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND				1000
Diethyl phthalate (DEP)	84-66-2	ND				1000
Diisobutyl phthalate (DIBP)	84-69-5	ND				1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND				1000
Di-n-pentyl phthalate (DPENP/DnPP)	131-18-0	ND				1000
Conclusion		PASS				

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

## Remark:

The specification is quoted from client's requirement.

Email: LabTesting@qima.com • Tel: (86) 571 8999 7158
 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

## **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Orange coating	Bottom of clip(orange style)
2	Blue coating	Bottom of clip(blue style)
3	White plastic	Bottom of clip(blue style)
4	Silvery coating	Bottom of clip(silvery style)
5	Green coating	Bottom of clip(green style)
6	Rose coating	Bottom of clip(rose style)
7	Light grey plastic	Bottom of clip(black style)
8	Black coating	Main body(black style)
9	Blue ink	Cartridge(black style)
10	Grey plastic	Cartridge(black style)
11	Silvery plated grey plastic	Shell of nib(black style)
12	Deep grey plastic	Cap((black style)
13	Grey plastic	Main body(black style)
14	Silvery metal	Nib(black style)
15	Silvery metal	Spring(black style)




PLCTION TESTING TECHNOLOGY CO., LTD • Email: LabTesting@qima.com • Tel: (86) 571 8999 7158 A2 Building • No. 1213 Huoju South Road • Puyan Street • Binjiang District • Hangzhou • China



Pages:

## SAMPLE PHOTO:



-End Report-

