

Dated: 2019-08-06



Applicant : Spector & Co

Address : /

Sample Description : ALUMINIUM PENCIL

Product Type / End Use : WRITING INSTRUMENT

Item No. : G3138

Style No. : ALI

Supplier : USC043

Country of Origin : China

Exported to : Canada & U.S.A.

Test Sample Receipt Date, Location : 2019-06-17, 2019-08-02, Shenzhen

Test Period, Location : From 2019-06-17 to 2019-08-06, Shenzhen

Test Result(s) : Refer to Section 3

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2019-08-06



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
'-	Materials	F d 5 5
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*
۷.	Similar Surface-Coating Materials	F a55
3.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
J.	Materials	1 033
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*
	Surface-Coating Materials	1 033
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
J.	83 - Total Lead Content Test	1 433
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total	Pass
<u> </u>	Lead Content Test	1 433
7.	Phthalates Content	Pass*
8.	US California Proposition 65 - Phthalates Content	Pass*
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>

<Project Manager>

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Dated: 2019-08-06



Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.



Dated: 2019-08-06



1. Description of the Test Sample:

Sample Description	ALUMINIUM PENCIL

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Silver coating (Pen body)	
T2	002	Silvery metal (Pen body)	
Т3	003	Silvery metal (Top & end)	
T4	004	Silvery metal (Clip)	
T5	005	Silvery metal (Tip)	
Т6	006	Transparent plastic (Tube inner body)	
Т7	007	Black plastic (End of tube inner body)	
Т8	008	Black graphite	
Т9	009	Bright black plastic (End)	5) 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 1
T10	010	Shiny blue plated silvery metal (Pen body)	
T11	011	Shiny red plated silvery metal (Pen body)	
T12	012	Shiny green plated silvery metal (Pen body)	
T13	013	Black plated silvery metal (Pen body)	

Dated: 2019-08-06



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test item	Sample 002	Sample 003	Sample 004	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test item	Sample 005	Sample 006+007+009	Sample 008	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Client's		
Test item	Sample	Sample 011	Sample 012	Specification [mg/kg]
	010			
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg] Sample	Client's Specification
	013	[mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2019-08-06



3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample	Specification
	001	[mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram

- "<" denotes less than

- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-08-06



3.3 **US California Proposition 65 - Total Lead Content Test - Substrate Materials**

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 002	Sample 003	Sample 004	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test Item	Sample 005	Sample 006+007+009	Sample 008	Specification [mg/kg]
Lead	32.5	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Client's		
Test Item	Sample 010	Sample 011	Sample 012	Specification [mg/kg]
Lead	11.2	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg] Sample 013	Client's Specification [mg/kg]
Lead	N.D.	<100
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Dated: 2019-08-06



3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample	Specification
	001	[mg/kg]
Lead	N.D.	<90
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-08-06



3.5 **Total Lead**

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	001	002	003		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

		Result [mg/kg]			
Analyte	Sample	Sample	Sample		
	004	005	006+007+009		
Lead	N.D.	32.5	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

	Result [mg/kg]					
Analyte	Sample 008					
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

	Result [mg/kg]		
Analyte	Sample	Sample 013	
	012		
Lead	N.D. N.D.		
Limit	<90		
Conclusion	Pass Pass		

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Dated: 2019-08-06



3.6 Total Lead

Surface Coating Materials Regulations SOR/2016-193 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]
Analyte	Sample
	001
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-08-06



3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]		Client's
Test Items	CAS No.	Sample 001	Sample 006+007+009	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2019-08-06



3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]		Client's	
Test Items	CAS No.	Sample 001	Sample 006+007+009	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	-	

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2019-08-06



3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Results [%]		Limit
Phthalates	CAS No.	Sample 001	Sample 006+007+009	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-08-06



3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 002	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

