Date: 2022-12-06



Greater China

Applicant: Spector & CO

Address:

Product Name: Aluminum push action 2in1 stylus/ball point pen

End Use: BALLPOINT PEN

Item No.:G3149Style No.:FABRIZIOSupplier:USC043Country of Origin:CHINA

Country of Destination: CANADA & U.S.A.

Receipt Date of Sample: 2022-11-10

Date of Testing: From 2022-11-14 to 2022-11-21

Sample Submitted: The sample(s) was (were) submitted by applicant and identified.

Test Result: Refer to the data listed in following pages

ltem	Conclusion
US California Proposition 65 – Total Cadmium Content Test – Paint and Similar Surface-Coating Materials	Pass*
US California Proposition 65 – Total Cadmium Content Test – Substrate Materials	Pass*
US California Proposition 65 – Total lead Content Test – Paint and Similar Surface- Coating Materials	Pass*
US California Proposition 65 – Total Lead Content Test – Substrate Materials	Pass*
Phthalates Content (11P)	Pass*
Tungsten Content Test	Report As Is
Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Mercury Content Test	Pass
Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Lead Content Test	Pass
Canadian Consumer Products Containing Lead Regulations SOR/2018-83 – Total Lead Content Test	Pass
Total Nickel Content Test	Report As Is
U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
US California Proposition 65 – Phthalates Content (6P)	Pass*
	US California Proposition 65 – Total Cadmium Content Test – Paint and Similar Surface-Coating Materials US California Proposition 65 – Total Cadmium Content Test – Substrate Materials US California Proposition 65 – Total lead Content Test – Paint and Similar Surface-Coating Materials US California Proposition 65 – Total Lead Content Test – Substrate Materials Phthalates Content (11P) Tungsten Content Test Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Mercury Content Test Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Lead Content Test Canadian Consumer Products Containing Lead Regulations SOR/2018-83 – Total Lead Content Test Total Nickel Content Test U.S. CFR Title 16 Part 1307 – Toys and Childcare Articles – Phthalates Content (8P)

Remarks: 1. MDL = Method Detection Limit

2. N.D. = Not Detected (<MDL)

3. ≤ Less than

4. 1 mg/kg = 1 ppm = 0.0001%

5. NA=Not Applicable

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

E-mail: info@tuvsud.com
Web : http://www.tuvsud.cn

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

No.: 68.431.22.4736.01R1

Date: 2022-12-06



Greater China

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Testing Center

Prepared by:

Authorized by:

Jojo Zhao



Eva Liang Project Manager

Jojo Zhao Project Coordinator

Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.

 Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.

 For further details, please see "Testing and certification regulation", chapter A-3.4

 For full version, please visit: EN: https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en; SCN: https://www.tuvsud.cn/zh-cn/terms-and-conditions; TCN: https://www.tuvsud.com/zh-tw/terms-and-conditions
- (2) The results relate only to the Items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) If relevant standards do not specify decision rule(s), follow decision rule as below:
 - "Pass" means that the measured result is within the limits, even when extended by expanded uncertainty at a level of confidence of 95%.
 - "Fail" means that the measured result is beyond the limit, even when extended by expanded uncertainty at a level of confidence of 95%.
- (5) The test item and sample were specified by the client.
- (6) "*" denotes the conclusion was drawn according to the client's specification
- (7) This report superseded previous report 68.431.22.4736.01 issued on 2022-11-13. Revised client's information on page 1.

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

E-mail: info@tuvsud.com Web : http://www.tuvsud.cn

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

No.: 68.431.22.4736.01R1

Date: 2022-12-06



Greater China

Description of Tested Subject:

Sample	Description	Photo
Α	Whole product	2345678960123456789701234567897012345678960123456789701234567897012345678970123456789701234567
001	Dull blue synthetic leather w/ grey fabirc & glue backing (Barrel of pen)	7 3 4 5 6 7 8 9 60 1 2 3 4 5 6 7 8 9 70 1 2 3 4 5 6 7 8 9 5
002	Brown synthetic leather w/ light brown fabirc & glue backing (Barrel of pen)	3456789601234567897012345678980

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: info@tuvsud.com Web: http://www.tuvsud.cn

Date: 2022-12-06



Greater China

003	Grey synthetic leather w/ light grey fabirc & glue backing (Barrel of pen)	012345678960123456789701234567
004	Black synthetic leather w/ grey fabirc & glue backing (Barrel of pen)	
005	Silvery metal (Top of pen)	
006	Silvery metal (Upper of barrel)	
007	Silvery metal (Clip of pen)	
008	Silvery metal (Lower of barrel)	
009	Silvery metal (Callor of pen)	234567896012345678970123456789
010	Silvery metal (Sleeve in pen)	
011	Silvery metal (Core)	
012	Silvery metal (Tip of core)	
013	Silvery metal (Ball of tip)	
014	Black ink (Pen ink)	
015	Black plastic (Plµg of pen)	

T. No	Sample	Description
T1	001	Dull blue synthetic leather w/ grey fabirc & glue backing (Barrel of pen)
T2	002	Brown synthetic leather w/ light brown fabirc & glue backing (Barrel of pen)
T3	003	Grey synthetic leather w/ light grey fabirc & glue backing (Barrel of pen)
T4	004	Black synthetic leather w/ grey fabirc & glue backing (Barrel of pen)
T5	005	Silvery metal (Top of pen)
Т6	006	Silvery metal (Upper of barrel)
T7	007	Silvery metal (Clip of pen)
Т8	008	Silvery metal (Lower of barrel)

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 1 - Chemical testing and part of electrical testing Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com Web : http://www.tuvsud.cn

No.: 68.431.22.4736.01R1

Date: 2022-12-06



Greater China

T. No	Sample	Description
Т9	009	Silvery metal (Callor of pen)
T10	010	Silvery metal (Sleeve in pen)
T11	011	Silvery metal (Core)
T12	012	Silvery metal (Tip of core)
T13	013	Silvery metal (Ball of tip)
T14	014	Black ink (Pen ink)
T15	015	Black plastic (Plµg of pen)



Regd. Office:

TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Lab 1 - Chemical testing and part of electrical testing Lab 2 - Physical & Mechanical Test: Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: info@tuvsud.com Web: http://www.tuvsud.cn

Date: 2022-12-06



Greater China

Test Result(s):

1. US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test with reference to microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
014	mg/kg	10	75	N.D.	Pass

2. US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test with reference to acid digestion or microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
001+002	mg/kg	10	75	N.D.	Pass
003+004	mg/kg	10	75	N.D.	Pass
005	mg/kg	10	75	N.D.	Pass
006	mg/kg	10	75	N.D.	Pass
007	mg/kg	10	75	N.D.	Pass
800	mg/kg	10	75	N.D.	Pass
009	mg/kg	10	75	N.D.	Pass
010	mg/kg	10	75	N.D.	Pass
011	mg/kg	10	75	N.D.	Pass
012	mg/kg	10	75	N.D.	Pass
013	mg/kg	10	75	N.D.	Pass
015	mg/kg	10	75	N.D.	Pass

3. US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials Test with reference to microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
014	mg/kg	10	90	N.D.	Pass

4. US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test with reference to acid digestion or microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
001+002	mg/kg	10	100	N.D.	Pass
003+004	mg/kg	10	100	N.D.	Pass
005	mg/kg	10	100	17.4	Pass
006	mg/kg	10	100	12.7	Pass
007	mg/kg	10	100	N.D.	Pass

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: info@tuvsud.com Web: http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Date: 2022-12-06



Greater China

800	mg/kg	10	100	39.6	Pass
009	mg/kg	10	100	32.7	Pass
010	mg/kg	10	100	N.D.	Pass
011	mg/kg	10	100	N.D.	Pass
012	mg/kg	10	100	50.3	Pass
013	mg/kg	10	100	N.D.	Pass
015	mg/kg	10	100	N.D.	Pass

5. Phthalates Content (11P)

Test with reference to in-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS).

Parameter	CAS No.	Unit	MDL	Client's	Resi	ult(s)	
Farameter	CAS NO.	OTHE WIDE		Limit	001+002	003+004	
Diethyl phthalate(DEP)	84-66-2	%	0.005	0.1	N.D.	N.D.	
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.	
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	0.014	N.D.	
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.	
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.	N.D.	
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.	N.D.	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.	
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	N.D.	N.D.	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.	N.D.	
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.	N.D.	
	Conclusion						

Parameter	CAS No.	Unit MDL	Client's	Result(s)		
	CAS NO.	Unit	MIDL	Limit 014 0		
Diethyl phthalate(DEP)	84-66-2	%	0.005	0.1	N.D.	N.D.
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	N.D.	N.D.
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.	N.D.

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web: http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Date: 2022-12-06



Greater China

	Pass	Pass				
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.	N.D.
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	N.D.	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.	N.D.

6. Tungsten Content Test

Test with reference to acid digestion and determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test items	Unit	MDL	Limit	Result(s) 006
Tungsten(W)	mg/kg	10.0	- /	N.D.
Cor	clusion			Report As Is

7. Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Mercury Content Test Test with reference to microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
014	mg/kg	10	10.0	N.D.	Pass

8. Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Lead Content Test Test with reference to microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
014	mg/kg	10	90	N.D.	Pass

9. Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test Test with reference to acid digestion or microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
001+002	mg/kg	10	90	N.D.	Pass

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, Chin

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: info@tuvsud.com Web: http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Date: 2022-12-06



Greater China

003+004	mg/kg	10	90	N.D.	Pass
005	mg/kg	10	90	17.4	Pass
006	mg/kg	10	90	12.7	Pass
007	mg/kg	10	90	N.D.	Pass
800	mg/kg	10	90	39.6	Pass
009	mg/kg	10	90	32.7	Pass
010	mg/kg	10	90	N.D.	Pass
011	mg/kg	10	90	N.D.	Pass
012	mg/kg	10	90	50.3	Pass
013	mg/kg	10	90	N.D.	Pass
014	mg/kg	10	90	N.D.	Pass
015	mg/kg	10	90	N.D.	Pass

10. Total Nickel Content Test

Test with reference to acid digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
005	mg/kg	5	-	274.022	Report As Is
006	mg/kg	5	-	2615.000	Report As Is
007	mg/kg	5	-\	301.441	Report As Is
800	mg/kg	5	- \	112.719	Report As Is
009	mg/kg	5	- V	491.332	Report As Is
010	mg/kg	5	-	4576.733	Report As Is
011	mg/kg	5	-	19444.444	Report As Is
012	mg/kg	5		33.185	Report As Is
013	mg/kg	5		31815.895	Report As Is

11. U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)

Test with reference to in-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS).

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
	CAS NO.	Unit	MIDE		001+002	003+004
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	0.014	N.D.
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web: http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

f Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Date: 2022-12-06



Greater China

Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.	N.D.
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Resi	ult(s)	
Parameter	CAS NO.	Offic	MIDE	LIIIII	014	015	
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.	
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	N.D.	N.D.	
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.	
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.	N.D.	
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.	N.D.	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.	
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.	N.D.	
	Conclusion						

12. US California Proposition 65 - Phthalates Content (6P)

Test with reference to in-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS).

Parameter	CAS No.	Unit	MDL	Client's	Result(s)	
Parameter	CAS NO.	is No.	IVIDL	Limit	001+002	003+004
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.	N.D.
Di-n-hexyl phthalate (DNHP)	84-75-3	%	0.005	0.1	N.D.	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.
	Conclusion		1	'	Pass	Pass

Regd. Office: TüV SüD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,

Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : http://www.tuvsud.cn

No.: 68.431.22.4736.01R1

Date: 2022-12-06



Greater China

Parameter	CAS No.	Unit	MDL	Client's	Result(s)		
Parameter	CAS NO.	Offic	MIDL	Limit	014	015	
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.	
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.	N.D.	
Di-n-hexyl phthalate (DNHP)	84-75-3	%	0.005	0.1	N.D.	N.D.	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.	
	Conclusion						

-End of Test Report-

