

Dated: 2019-09-02



**Applicant** : Spector & Co

Address : /

Sample Description : Plastic push-action ballpoint with semi-gel ink refill

Product Type / End Use : WRITING INSTRUMENT

Item No. : K109

Style No. : TRINA

Supplier : USY007

Country of Origin : China

**Exported to** : Canada & U.S.A.

Test Sample Receipt Date, Location : 2019-06-11, 2019-06-19, Shenzhen

Test Period, Location : From 2019-06-11 to 2019-08-01, Shenzhen

Test Result(s) : Refer to Section 3

Dated: 2019-09-02



# **Purpose Of Examination / Conclusion:**

No.	Test Item(s)	Conclusion
1	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
1.	83 - Total Lead Content Test	F 455
2	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total	Pass
<b>Z</b> .	Lead Content Test	Fd55
3.	Phthalates Content	Pass*
4.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
5.	Tungsten Content Test	Report as is

#### Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "\*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>

<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Web: http://www.tuv-sud.cn

Dated: 2019-09-02



# 1. Description of the Test Sample:

Sample Description	Plastic push-action ballpoint with semi-gel ink refill

# 2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Translucent grey plastic (Pen body)	
T2	002	Dark grey plastic (Handle)	
Т3	003	Silvery metal plating (Top, body & end)	
T4	004	White plastic (Tube)	
T5	005	Silvery metal (Tip)	
Т6	006	Silvery metal (Ball of tip)	
Т7	007	Blue ink	
Т8	008	Silvery metal (Spring)	
Т9	009	Translucent orange plastic (Pen body)	
T10	010	Orange plastic (Handle)	
T11	011	Translucent white plastic (Pen body)	1 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50
T12	012	Translucent dark blue plastic (Pen body)	
T13	013	Dark blue plastic (Handle)	
T14	014	Translucent green plastic (Pen body)	
T15	015	Green plastic (Handle)	
T16	016	Translucent red plastic (Pen body)	
T17	017	Red plastic (Handle)	

Dated: 2019-09-02



#### 3. Test Result

### 3.1 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83

Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	001+002+004	003	005		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

	Result [mg/kg]				
Analyte	Sample 006	Sample 007	Sample 008		
Lead	N.D.	29.9	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

	GIID	Result [mg/kg]				
Analyte	Sample 009+010+011	Sample 012+013+014	Sample 015+016+017			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass Pass Pass				

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.2 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICPOES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]		
Analyte	Sample		
	007		
Lead	29.9		
Limit	<90		
Conclusion	Pass		

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

Page 4 of 9

Dated: 2019-09-02



## 3.3 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001+002 +004	Sample 007	Sample 009+010 +011	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-09-02



### 3.3 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Resul	Client's	
Test Items	CAS No.	Sample 012+013+014	Sample Sample 12+013+014 015+016+017	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

<sup>2. &</sup>quot;<" denotes less than

Dated: 2019-09-02



## 3.4 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Results [%]			
Phthalates	CAS No.	Sample 001+002 +004	Sample 007	Sample 009+010 +011	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-09-02



## 3.4 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Resul	ts [%]	Limit
Phthalates	CAS No.	Sample 012+013+014	Sample 015+016+017	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

 $\text{T\"UV}^{^{\circledR}}$ 

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-09-02



# 3.5 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 008	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

