Dated: 2020-08-14



Applicant : Spector & Co

Address :

Sample Description : polypropylene memo book

Item No. : ST2801

Style No. : J

Supplier : USF011

Country of Origin : China

Exported to : Canada & U.S.A.

Test Sample Receipt Date, Location : 2020-07-08, Shenzhen

Test Period, Location : From 2020-08-05 to 2020-08-13, Shenzhen

Test Result(s) : Refer to Section 3

Dated: 2020-08-14



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
'-	Materials	F d55
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*
۷.	Similar Surface-Coating Materials	1 033
3.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
	Materials	1 433
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*
	Surface-Coating Materials	1 000
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
	83 - Total Lead Content Test	1 400
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 –	Pass
	Total Lead Content Test	1 400
7.	Phthalates Content (11P)	Pass*
8.	US California Proposition 65 - Phthalates Content (6P)	Pass*
9.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates	Pass
9.	Content (8P)	F455
10.	Tungsten Content Test	Report As Is
11.	Canadian Surface Coating Materials Regulations SOR/2016-193 -	Pass
11.	Total Mercury Content Test	F ass
12.	Nickel Content Test	Report As Is

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:	Reviewed by
--------------	-------------

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2020-08-14



Corra



Ken

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>
<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.



Dated: 2020-08-14



1. Description of the Test Sample:

Sample Description	polypropylene memo book
--------------------	-------------------------

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black coating (Binding wire)	
T2	002	Black fabric (Elastic band)	
Т3	003	Black soft plastic (Elastic band)	**************************************
T4	004	Black plastic (Cover)	
T5	005	White paper (Title page)	
Т6	006	Grey printed white paper (Page)	40123456789501234567896012345678970
T7	007	Red plastic (Cover)	
Т8	008	Silvery grey plastic (Cover)	
Т9	009	Transparent plastic film (Logo)	
T10	010	Silvery metal (Binding wire)	***************************************
T11	011	Silvery metal (Ring of band)	
T12	012	Silvery plastic film (Logo)	\$11441141414141414141414141414141414141
T13	013	Black plastic film (Logo)	401234567895012345678960123456789701

Remark:

The materials of sample 001~003, 005~006, 009~011 claimed by the client are as same as sample 001~003, 005~006, 009~011 of technical report 68.431.20.03564.01 issued on 2020-08-14, which means both samples have the same composition, supplier and color, the only difference lies in sample shape. The test data is quoted from the latter one.

Dated: 2020-08-14



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test item	Sample 002	Sample 003	Sample 004+007+008	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg] C		
Test item	Sample 005+006	Sample 009	Sample 010	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	Results	[mg/kg]	Client's
Test item	Sample 011	Sample 012+013	Specification [mg/kg]
Cadmium	N.D.	N.D.	<75
Conclusion	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample	Specification
	001	[mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory: Phone: +86 755 8828 6998 Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Testing (China) Co., Ltd. E-mail: toys_hardline@tuv-sud.hk Building 12&13, Zhiheng Wisdomland Business Park,

Shenzhen Branch

Web: http://www.tuv-sud.cn

Nantou Checkpoint Road 2, 518052, P. R. China



Page 5 of 17

Dated: 2020-08-14



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 002	Sample 003	Sample 004+007+008	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]	Client's
Test Item	Sample 005+006	Sample 009	Sample 010	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

	Results [r	mg/kg]	Client's	
Test Item	Sample 011	Sample 012+013	Specification [mg/kg]	
Lead	N.D.	N.D.	<100	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test Item	Results [mg/kg] Sample	Client's Specification
	001	[mg/kg]
Lead	N.D.	<90
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than</p>
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

Dated: 2020-08-14



3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]					
Analyte	Sample	Sample	Sample			
	001	002	003			
Lead	N.D.	N.D.	N.D.			
Limit	, -	<90				
Conclusion	Pass	Pass	Pass			

/		Result [mg/kg]				
Analyte	Sample 004+007+008	Sample 005+006	Sample 009			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

		Result [mg/kg]					
Analyte	Sample 010						
Lead	N.D.	N.D.	N.D.				
Limit		<90					
Conclusion	Pass	Pass	Pass				

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICPOES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]
Analyte	Sample
	001
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

Page 7 of 17



Dated: 2020-08-14



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001	Sample 002	Sample 003	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	1	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2020-08-14



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%]	Client's
Test Items	CAS No.	Sample 004+007 +008	Sample 005+006	Sample 009	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2020-08-14



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]	Client's Specification	
Test Items	CAS No.	Sample		
		012+013	[%]	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	<0.1	
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	<0.1	
Diethyl phthalate (DEP)	84-66-2	N.D.	<0.1	
Butylbenzylphthalat (BBP)	85-68-7	N.D.	<0.1	
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	<0.1	
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1	
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1	
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	<0.1	
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	<0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1	
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	<0.1	
Conclusion		Pass	-	

Note 1. "%" denotes percentage by weight

3. "N.D." denotes Not Detected with Detection Limit 0.005%

^{2. &}quot;<" denotes less than

Dated: 2020-08-14



US California Proposition 65 - Phthalates Content (6P) 3.8

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample 001	Sample 002	Sample 003	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

	SOL	F	Results [%]	Client's	
Test Items	CAS No.	Sample 004+007 +008	Sample 005+006	Sample 009	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	Pass	-	

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn



Dated: 2020-08-14



3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%] Sample 012+013	Client's Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2020-08-14



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	b]	Limit
Phthalates	CAS No.	Sample 001	Sample 002	Sample 003	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2020-08-14



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%]		
Phthalates	CAS No.	Sample 004+007 +008	Sample 005+006	Sample 009	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2020-08-14



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 - Standard Operating Procedure for Determination of Phthalates

[Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%] Sample 012+013	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. "%" denotes percentage by weight

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2020-08-14



3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

 Results [mg/kg]
 Client's

 Sample 010
 Specification [mg/kg]

 Tungsten
 N.D.

Report As Is

Note:

Conclusion

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.11 Total Mercury Content Test

Surface Coating Materials Regulations SOR/2016-193 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Limit
Test Item	Sample 001	[mg/kg]
Mercury	N.D.	<10
Conclusion	Pass	-

CITID

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Shenzhen Branch



Dated: 2020-08-14



3.12 Nickel Content Test

Test method: Acid digestion and analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 5.0mg/kg]

	Results	Client's	
Test Item	Sample	Sample	Specification
	010	011	[mg/kg]
Nickel	46.38	12047.36	-
Conclusion	Report As Is	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 5.0mg/kg

