

**Test Report No.: 68.431.20.03563.01**

**Dated: 2020-08-14**



**Applicant** : Spector & Co

**Address** : /

**Sample Description** : POLYPRO MEMO BOOK

**Item No.** : ST36

**Style No.** : SPIRAL

**Supplier** : USF011

**Country of Origin** : China

**Exported to** : Canada & U.S.A.

**Test Sample Receipt Date, Location** : 2020-07-21, Shenzhen

**Test Period, Location** : From 2020-08-05 to 2020-08-13, Shenzhen

**Test Result(s)** : Refer to Section 3



**Purpose Of Examination / Conclusion:**

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
3.	US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Lead Content Test	Pass
7.	Phthalates Content (11P)	Pass*
8.	US California Proposition 65 - Phthalates Content (6P)	Pass*
9.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
10.	Tungsten Content Test	Report As Is
11.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Mercury Content Test	Pass
12.	Nickel Content Test	Report As Is

**Remarks:**

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "\*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
 TÜV SÜD Group

Prepared by:

Reviewed by:

Test Report No.: 68.431.20.03563.01

Dated: 2020-08-14



*Cara*



*Ken*

<Cara Xiang>  
<Senior Project Coordinator>

<Ken Chen>  
<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.



**Laboratory:**  
TÜV SÜD Certification and  
Testing (China) Co., Ltd.  
Shenzhen Branch



Phone : +86 755 8828 6998  
Fax: +86 755 8828 5299  
E-mail: toys\_hardline@tuv-sud.hk  
Web : <http://www.tuv-sud.cn>

Regd. Office:  
TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
Building 12&13, Zhiheng Wisdomland Business Park,  
Nantou Checkpoint Road 2, 518052, P. R. China

1. Description of the Test Sample:

Sample Description	POLYPRO MEMO BOOK
--------------------	-------------------

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black coating (Binding wire)	
T2	002	Black plastic (Cover)	
T3	003	White paper (Title page)	
T4	004	Grey printed white paper (Page)	
T5	005	Dark blue plastic (Cover)	
T6	006	Silvery grey plastic (Cover)	
T7	007	Transparent plastic film (Logo)	
T8	008	Silvery metal (Binding wire)	

Remark:

The materials of sample 001~008 claimed by the client are as same as sample 001, 004~010 of technical report 68.431.20.03564.01 issued on 2020-08-14, which means both samples have the same composition, supplier and color, the only difference lies in sample shape. The test data is quoted from the latter one.

**3. Test Result**

**3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials**

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 002+005+006	Sample 003+004	Sample 007	
Cadmium	N.D.	N.D.	N.D.	<75
<b>Conclusion</b>	Pass	Pass	Pass	-

Test item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 008	
Cadmium	N.D.	<75
<b>Conclusion</b>	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials**

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 001	
Cadmium	N.D.	<75
<b>Conclusion</b>	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials**

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 002+005+006	Sample 003+004	Sample 007	
Lead	N.D.	N.D.	N.D.	<100
<b>Conclusion</b>	Pass	Pass	Pass	-

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 008	
Lead	N.D.	<100
<b>Conclusion</b>	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials**

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 001	
Lead	N.D.	<90
<b>Conclusion</b>	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83  
Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]		
	Sample 001	Sample 002+005+006	Sample 003+004
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]	
	Sample 007	Sample 008
Lead	N.D.	N.D.
Limit	<90	
Conclusion	Pass	Pass

- Note 1. "mg/kg" denotes milligram per kilogram  
2. "<" denotes less than  
3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193  
Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]
	Sample 001
Lead	N.D.
Limit	<90
Conclusion	Pass

- Note 1. "mg/kg" denotes milligram per kilogram  
2. "<" denotes less than  
3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 002+005+006	Sample 003+004	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
<b>Conclusion</b>		Pass	Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%



### 3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 007	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	<0.1
<b>Conclusion</b>		Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

**3.8 US California Proposition 65 - Phthalates Content (6P)**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 002+005+006	Sample 003+004	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
<b>Conclusion</b>		Pass	Pass	Pass	-

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 007	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
<b>Conclusion</b>		Pass	-

- Note 1. “%” denotes percentage by weight  
 2. “<” denotes less than  
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%



**3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)**  
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates  
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 001	Sample 002+005 +006	Sample 003+004	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
<b>Conclusion</b>		Pass	Pass	Pass	-

- Note 1. “%” denotes percentage by weight  
 2. “<” denotes less than  
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

**3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)**

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates  
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]	Limit [%]
		Sample 007	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	<0.1
<b>Conclusion</b>		Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%



**3.10 Tungsten Content Test**

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 008	
Tungsten	N.D.	-
<b>Conclusion</b>	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.11 Total Mercury Content Test**

Surface Coating Materials Regulations SOR/2016-193  
 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Limit [mg/kg]
	Sample 001	
Mercury	N.D.	<10
<b>Conclusion</b>	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



**3.12 Nickel Content Test**

Test method: Acid digestion and analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 5.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 008	
Nickel	46.38	-
<b>Conclusion</b>	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 5.0mg/kg

