Dated: 2019-08-19



Applicant Spector & Co

Address

Sample Description Polypropylene back cover.

Product Type / End Use JOURNAL

Item No. ST443

Style No. **FABRIZIO**

Supplier USS079

Country of Origin China

Exported to Canada & U.S.A.

Test Sample Receipt Date, Location 2019-08-08, Shenzhen

Test Period, Location From 2019-08-08 to 2019-08-19, Shenzhen

Test Result(s) Refer to Section 3

Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
	Materials	F d 5 5
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*
۷.	Similar Surface-Coating Materials	F a 5 5
3.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
3.	Materials	F a55
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*
4.	Surface-Coating Materials	F a 5 5
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
J.	83 - Total Lead Content Test	газэ
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total	Pass
0.	Lead Content Test	газэ
7.	Phthalates Content	Pass*
8.	US California Proposition 65 - Phthalates Content	Pass*

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China



Dated: 2019-08-19



No.	Test Item(s)	Conclusion
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Products Containing Mercury Regulations SOR/2014-254 - Total Mercury Content Test	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>

<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Dated: 2019-08-19



1. Description of the Test Sample:

Sample Description	Polypropylene back cover.
	, , , ,

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black coating (Fixer of notebook)	
T2	002	Silvery metal (Fixer of notebook)	
ТЗ	003	Black soft plastic (Elastic band)	
T4	004	Grey PU w/ matt grey fabric backing (Cover)	
T5	005	Black plastic (Cover)	
Т6	006	Golden coating (Logo)	
Т7	007	Dull silvery metal (Eyelet)	
Т8	008	Dull silvery metal (Washer of eyelet)	

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Dated: 2019-08-19



T. No.	Sample No.	Colour and Description	Photograph
Т9	009	Blue PU w/ matt blue fabric backing (Cover)	
T10	010	Black PU w/ matt black fabric backing (Cover)	
T11	011	Brown PU w/ light brown fabric backing (Cover)	
T12	012	Black printed white paper (Pages)	######################################



Dated: 2019-08-19



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test item	Sample 002	Sample 003	Sample 004+009	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]			Client's
Test item	Sample 005	Sample 007	Sample 008	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg] Sample	Client's Specification
rost itom	010+011	[mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Results [mg/kg]		
Test Item	Sample 001	Sample 006	Specification [mg/kg]	
Cadmium	N.D.	N.D.	<75	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web : http://www.tuv-sud.cn

Regd. Office:

 $\ensuremath{\mathsf{T\ddot{UV}}}\xspace\ensuremath{\mathsf{S\ddot{U}D}}\xspace$ Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China



Dated: 2019-08-19



3.3 **US California Proposition 65 - Total Lead Content Test - Substrate Materials**

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 002	Sample 003	Sample 004+009	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg	Client's	
Test Item	Sample	Sample	Sample	Specification
	005	007	008	[mg/kg]
Lead	N.D.	70.1	63.9	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg] Sample 010+011	Client's Specification [mg/kg]
Lead	N.D.	<100
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating 3.4 **Materials**

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Client's	
Test Item	Sample 001	Sample 006	Specification [mg/kg]
Lead	N.D.	N.D.	<90
Conclusion	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China

Page 6 of 13



Dated: 2019-08-19



3.5 Total Lead

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	001	002	003		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

//		Result [mg/kg]			
Analyte	Sample	Sample	Sample		
	004+009	005	006		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

		Result [mg/kg] Sample Sample Sam 007 008 010+				
Analyte						
Lead	70.1	63.9	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

3.6 Total Lead

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result	[mg/kg]			
Analyte	Sample	Sample			
	001	006			
Lead	N.D.	N.D.			
Limit	<	<90			
Conclusion	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

age / Ui is

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 10.0mg/kg

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Dated: 2019-08-19



3.7 **Phthalates Content**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	b]	Client's	
Test Items	CAS No.	Sample 001	Sample 003	Sample 004+009	Specification [%]	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1	
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1	
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1	
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1	
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1	
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1	
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1	
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1	
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1	
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	Pass	-	

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Dated: 2019-08-19



3.7 **Phthalates Content**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	[]	Client's
Test Items	CAS No.	Sample	Sample	Sample	Specification
		005	006	010+011	[%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	0.009	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	0.035	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Dated: 2019-08-19



3.8 **US California Proposition 65 - Phthalates Content**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%			Client's
Test Items	CAS No.	Sample	Sample	Sample	Specification
		001	003	004+009	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

	OOL	F	Results [%	6]	Client's
Test Items	CAS No.	Sample 005	Sample 006	Sample 010+011	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	0.035	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	0.009	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Dated: 2019-08-19



3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	Limit	
Phthalates	CAS No.	Sample 001	Sample 003	Sample 004+009	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-08-19



3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	Limit	
Phthalates	CAS No.	Sample 005	Sample 006	Sample 010+011	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	0.035	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	0.009	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 002	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

k Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China

Page 12 of 13



Dated: 2019-08-19



3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254
With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

	Results [mg/kg]			
Test Item	Sample 001	Sample 002	Sample 003	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

/		Results [mg/kg]		
Test Item	Sample 004+009	Sample 005	Sample 006	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Test Item		Results [mg/kg]		
	Sample 007	Sample 008	Sample 010+011	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]	
Test Item	Sample	Limit [mg/kg]
	012	
Mercury	N.D.	≤1000
Conclusion	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "≤" denotes less than or equal to
- 3. "N.D." denotes Not Detected with Detection Limit 10mg/kg

-- END OF TEST REPORT--

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn