

Test Report No.: 68.431.19.03985.01

Dated: 2019-09-05



Applicant : Spector & Co
Address : /
Sample Description : Fabrizio Powerbank WITH SPIRAL
Product Type / End Use : JOURNAL
Item No. : T127
Style No. : FABRIZIO
Supplier : USF038
Country of Origin : China
Exported to : Canada & U.S.A.
Test Sample Receipt Date, Location : 2019-08-12, 2019-09-03, Shenzhen
Test Period, Location : From 2019-08-13 to 2019-09-05, Shenzhen
Test Result(s) : Refer to Section 3

Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
3.	US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Lead Content Test	Pass
7.	Phthalates Content	Pass*

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web : <http://www.tuv-sud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Nantou Checkpoint Road 2, 518052, P. R. China

Test Report No.: 68.431.19.03985.01

Dated: 2019-09-05



No.	Test Item(s)	Conclusion
8.	US California Proposition 65 - Phthalates Content	Pass*
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Products Containing Mercury Regulations SOR/2014-254 - Total Mercury Content Test	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expanded uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
TÜV SÜD Group

Prepared by:

Reviewed by:



<Cara Xiang>
<Senior Project Coordinator>

<Ken Chen>
<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

1. Description of the Test Sample:

Sample Description	Fabrizio Powerbank WITH SPIRAL
---------------------------	--------------------------------

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black coating (Zipper)	
T2	002	Silvery metal (Zipper head)	
T3	003	Silvery metal (Zipper puller)	
T4	004	Black plastic (Zipper teeth)	
T5	005	Black PU w/ matt black fabric backing (Bag)	
T6	006	Matt black PU w/ black fabric backing (Lining)	
T7	007	Black soft plastic (Elastic band)	
T8	008	Silvery metal (Upper part of snaps)	
T9	009	Silvery metal (Stick on upper part of snaps)	

T. No.	Sample No.	Colour and Description	Photograph
T10	010	Silvery metal (Back of upper part of snaps)	
T11	011	Silvery metal (Lower part of snaps)	
T12	012	Silvery metal (Back of lower part of snaps)	
T13	013	Brown PU w/ matt brown fabric backing (Bag)	

3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 002	Sample 003	Sample 004	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 005+006+013	Sample 007	Sample 008	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 009	Sample 010	Sample 011	
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 012	
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg




3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 001	
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 002	Sample 003	Sample 004	
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 005+006+013	Sample 007	Sample 008	
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 009	Sample 010	Sample 011	
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 012	
Lead	N.D.	<100
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg




3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 001	
Lead	N.D.	<90
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83
 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).
 [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]		
	Sample 001	Sample 002	Sample 003
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 004	Sample 005+006+013	Sample 007
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 008	Sample 009	Sample 010
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]	
	Sample 011	Sample 012
Lead	N.D.	N.D.
Limit	<90	
Conclusion	Pass	Pass

- Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than
 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193


Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]
	Sample
Lead	001
Limit	N.D.
Conclusion	<90
	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 004	Sample 005+006 +013	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 007	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 004	Sample 005+006+013	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 007	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Conclusion		Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 001	Sample 004	Sample 005+006 +013	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

- Note 1. “%” denotes percentage by weight
 2. “<” denotes less than
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%

3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]	Limit [%]
		Sample 007	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%




3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 003	
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254

With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 001	Sample 002	Sample 003	
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 004	Sample 005+006+013	Sample 007	
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 008	Sample 009	Sample 010	
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]		Limit [mg/kg]
	Sample 011	Sample 012	
Mercury	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "≤" denotes less than or equal to

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--