

Test Report No.: 68.431.21.04269.01

Dated: 2021-10-15



Applicant : Spector & Co

Address : /

Sample Description : 20W WALL ADAPTER

Product Type / End Use : ADAPTER

PO / Order No : PO: 31761 & 71923

Item No. : T905

Style No. : FABRIZIO

Supplier : USC056

Country of Origin : China

Country of Destination : CANADA & U.S.A.

Test Sample Receipt Date, Location : 2021-09-29, Shenzhen

Test Period, Location : From 2021-09-29 to 2021-10-14, Shenzhen

Test Result(s) : Refer to Section 3

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
3.	US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Lead Content Test	Pass
7.	Phthalates Content (11P)	Pass*
8.	US California Proposition 65 - Phthalates Content (6P)	Pass*
9.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
10.	Tungsten Content Test	Report As Is
11.	Canadian Products Containing Mercury Regulations SOR/2014-254 - Total Mercury Content Test	Pass
12.	Nickel Content Test	Report As Is

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client.
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.
- (6) "ND" denotes below the Report Limit

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Test Report No.: 68.431.21.04269.01

Dated: 2021-10-15



TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
TÜV SÜD Group

Prepared by:

Reviewed by:

Cara



Ken

Cara Xiang
Senior Project Coordinator

Ken Chen
Project Manager

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.



Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:





TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



1. Description of the Test Sample:

Sample Description	20W WALL ADAPTER
	



2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001*	Transparent coating (Adapter)	
T2	002	Brown coating (Adapter)	
T3	003	Black coating (Adapter)	
T4	004	Orange plastic (USB socket)	
T5	005	White plastic (Shell of adapter)	
T6	006	Black plastic w/ brown printing (Base of adapter)	
T7	007	Silvery metal (Pin of adapter)	

T. No.	Sample No.	Colour and Description	Photograph
T8	008	Black coating (Adapter)	
T9	009	Grey coating (Adapter)	
T10	010	Black plastic (Shell of adapter)	

* denotes sample was tested on wet paint.



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Sample No	CAS No.	Results [mg/kg]	Client's Specification [mg/kg]	Conclusion
004	7440-43-9	N.D.	<75	Pass
005+006+010	7440-43-9	N.D.	<75	Pass
007	7440-43-9	N.D.	<75	Pass

Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than

3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Sample No	CAS No.	Results [mg/kg]	Client's Specification [mg/kg]	Conclusion
001	7440-43-9	N.D.	<75	Pass
002	7440-43-9	N.D.	<75	Pass
003	7440-43-9	N.D.	<75	Pass
008	7440-43-9	N.D.	<75	Pass
009	7440-43-9	N.D.	<75	Pass

Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than
 3.



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Sample No	CAS No.	Result [mg/kg]	Client's Specification [mg/kg]	Conclusion
004	7439-92-1	N.D.	<100	Pass
005+006+010	7439-92-1	N.D.	<100	Pass
007	7439-92-1	N.D.	<100	Pass

Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than

3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Sample No	CAS No.	Result [mg/kg]	Client's Specification [mg/kg]	Conclusion
001	7439-92-1	N.D.	<90	Pass
002	7439-92-1	N.D.	<90	Pass
003	7439-92-1	N.D.	<90	Pass
008	7439-92-1	N.D.	<90	Pass
009	7439-92-1	N.D.	<90	Pass

Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than



3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83
 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Sample No	CAS No.	Result [mg/kg]	Limit [mg/kg]	Conclusion
001	7439-92-1	N.D.	<90	Pass
002	7439-92-1	N.D.	<90	Pass
003	7439-92-1	N.D.	<90	Pass
004	7439-92-1	N.D.	<90	Pass
005+006+010	7439-92-1	N.D.	<90	Pass
007	7439-92-1	N.D.	<90	Pass
008	7439-92-1	N.D.	<90	Pass
009	7439-92-1	N.D.	<90	Pass

Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than

3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193
 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Sample No	CAS No.	Result [mg/kg]	Limit [mg/kg]	Conclusion
001	7439-92-1	N.D.	<90	Pass
002	7439-92-1	N.D.	<90	Pass
003	7439-92-1	N.D.	<90	Pass
008	7439-92-1	N.D.	<90	Pass
009	7439-92-1	N.D.	<90	Pass

Note 1. "mg/kg" denotes milligram per kilogram
 2. "<" denotes less than

Laboratory:

TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

Phone : +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: toys_hardline@tuvsud.com
 Web : <http://www.tuvsud.cn>

Regd. Office:
 TÜV SÜD Certification and Testing (China)
 Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland
 Business Park,
 Nantou Checkpoint Road 2, 518052, P. R.
 China

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Phthalates	CAS No.	Results [%]			Client's Specification [%]
		Sample 001	Sample 002	Sample 003	
DEHP, Di-(2-ethylhexyl)-phthalat	117-81-7	N.D.	N.D.	N.D.	<0.1
DBP, Dibutylbenzylphthalat	84-74-2	N.D.	N.D.	N.D.	<0.1
DEP, Diethyl phthalate	84-66-2	N.D.	N.D.	N.D.	<0.1
BBP, Butylbenzylphthalat	85-68-7	N.D.	N.D.	N.D.	<0.1
DIBP, Di-iso-butylphthalat	84-69-5	N.D.	N.D.	N.D.	<0.1
DINP, Di-isononyl phthalate	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
DIDP, Di-isodecylphthalat	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
DNOP, Di-n-octylphthalat	117-84-0	N.D.	N.D.	N.D.	<0.1
DnHP, Di-n-hexyl phthalate	84-75-3	N.D.	N.D.	N.D.	<0.1
DCHP, Dicyclohexyl phthalate	84-61-7	N.D.	N.D.	N.D.	<0.1
DNPP, Di-n-pentylphthalat	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "<" denotes less than
2. "%" denotes percentage by weight .

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Phthalates	CAS No.	Results [%]			Client's Specification [%]
		Sample 004	Sample 005+006 +010	Sample 008	
DEHP, Di-(2-ethylhexyl)-phthalat	117-81-7	N.D.	N.D.	N.D.	<0.1
DBP, Dibutylbenzylphthalat	84-74-2	N.D.	N.D.	N.D.	<0.1
DEP, Diethyl phthalate	84-66-2	N.D.	N.D.	N.D.	<0.1
BBP, Butylbenzylphthalat	85-68-7	N.D.	N.D.	N.D.	<0.1
DIBP, Di-iso-butylphthalat	84-69-5	N.D.	N.D.	N.D.	<0.1
DINP, Di-isononyl phthalate	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
DIDP, Di-isodecylphthalat	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
DNOP, Di-n-octylphthalat	117-84-0	N.D.	N.D.	N.D.	<0.1
DnHP, Di-n-hexyl phthalate	84-75-3	N.D.	N.D.	N.D.	<0.1
DCHP, Dicyclohexyl phthalate	84-61-7	N.D.	N.D.	N.D.	<0.1
DNPP, Di-n-pentylphthalat	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "<" denotes less than

2. "%" denotes percentage by weight .

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China



3.7 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Phthalates	CAS No.	Results [%]	Client's Specification [%]
		Sample 009	
DEHP, Di-(2-ethylhexyl)-phthalat	117-81-7	N.D.	<0.1
DBP, Dibutylbenzylphthalat	84-74-2	N.D.	<0.1
DEP, Diethyl phthalate	84-66-2	N.D.	<0.1
BBP, Butylbenzylphthalat	85-68-7	N.D.	<0.1
DIBP, Di-iso-butylphthalat	84-69-5	N.D.	<0.1
DINP, Di-isononyl phthalate	28553-12-0 , 68515-48-0	N.D.	<0.1
DIDP, Di-isodecylphthalat	26761-40-0 , 68515-49-1	N.D.	<0.1
DNOP, Di-n-octylphthalat	117-84-0	N.D.	<0.1
DnHP, Di-n-hexyl phthalate	84-75-3	N.D.	<0.1
DCHP, Dicyclohexyl phthalate	84-61-7	N.D.	<0.1
DNPP, Di-n-pentylphthalat	131-18-0	N.D.	<0.1
Conclusion		Pass	-

- Note 1. "<" denotes less than
 2. "%" denotes percentage by weight .

3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Phthalates	CAS No.	Results [% w/w]			Client's Specification [% w/w]
		Sample 001	Sample 002	Sample 003	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Phthalates	CAS No.	Results [% w/w]			Client's Specification [% w/w]
		Sample 004	Sample 005+006 +010	Sample 008	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "<" denotes less than

2. "%" denotes percentage by weight

Laboratory:

TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China

Phone : +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuvsud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China)
Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland
Business Park,
Nantou Checkpoint Road 2, 518052, P. R.
China




3.8 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Phthalates	CAS No.	Results [% w/w]	Client's Specification [% w/w]
		Sample 009	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Conclusion		Pass	-

- Note 1. "<" denotes less than
 2. "%" denotes percentage by weight



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 001	Sample 002	Sample 003	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Phthalates	CAS No.	Results [%]			Limit [%]
		Sample 004	Sample 005+006 +010	Sample 008	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "<" denotes less than
 2. "%" denotes percentage by weight.



3.9 U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)
 CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]	Limit [%]
		Sample 009	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	<0.1
Conclusion		Pass	-

Note 1. "<" denotes less than
 2. "%" denotes percentage by weight.



3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 007	
Tungsten	N.D.	-
Conclusion	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than

3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254

With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 001	Sample 002	Sample 003	
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

Test Item	Results [mg/kg]		Limit [mg/kg]
	Sample 008	Sample 009	
Mercury	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "≤" denotes less than or equal to

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park,
 Nantou Checkpoint Road 2, 518052, P. R. China

Phone : +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: toys_hardline@tuvsud.com
 Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park,
 Nantou Checkpoint Road 2, 518052, P. R. China




3.12 Nickel Content Test

Test method: Acid digestion and analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 5.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 007	
Nickel	2795.380	-
Conclusion	Report As Is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than



Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park,
 Nantou Checkpoint Road 2, 518052, P. R. China

Phone : +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: toys_hardline@tuv sud.com
 Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park,
 Nantou Checkpoint Road 2, 518052, P. R. China