

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

Applicant: Spector & Co
Product Name: Rubberized plastic 4in1 charging cable
Product Type / End use: Technology
Item No.: T987
Style No.: OPHELIA
Supplier: USU019
Country of Origin: CHINA
Country of Destination: CANADA & U.S.A.
Receipt Date of Sample: 2023-02-14, 2023-03-02, 2023-03-16, 2023-04-06
Date of Testing: From 2023-02-14 to 2023-04-11
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item	Conclusion
1. US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
2. US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
3. US California Proposition 65 - Total lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
4. US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
5. Phthalates Content (11P)	Pass*
6. Tungsten Content Test	Report As Is
7. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Surface Coating Materials Regulations SOR/2016-193 and SOR/2022-122 - Total Mercury	Pass
8. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Surface Coating Materials Regulations SOR/2016-193 and SOR/2022-122 - Total Lead	Pass
9. Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
10. Total Nickel Content Test	Report As Is
11. U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)	Pass
12. US California Proposition 65 - Phthalates Content (6P)	Pass*
13. Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)	Pass*

Remarks: 1. MDL = Method Detection Limit
2. N.D. = Not Detected (<MDL)
3. ≤ Less than
4. 1 mg/kg = 1 ppm = 0.0001%
5. NA=Not Applicable

Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuv sud.com
Web : http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test: Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Testing Center

Prepared by:

Authorized by:



Eva Liang
Project Manager

Cheng Kevin
Section Manager

Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.
For further details, please see "Testing and certification regulation", chapter A-3.4
For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) The results relate only to the items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) If relevant standards do not specify decision rule(s), follow decision rule as below:
- "Pass" means that the measured result is within the limits, even when extended by expanded uncertainty at a level of confidence of 95%.
- "Fail" means that the measured result is beyond the limit, even when extended by expanded uncertainty at a level of confidence of 95%.
- (5) The test item and sample were specified by the client.
- (6) "*" denotes the conclusion was drawn according to the client's specification.

Regd. Office:

Tüv Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>




Lab 1 - Chemical testing and part of
electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Description of Tested Subject:

Sample	Description	Photo
A	Whole product	
001	Bright silver color metal (Ring) Submitted on 2023-04-06	
002	Silver color metal (Nail of ring)	
003	Black/ silver coating (Main body)	
004	White plastic (Main body)	
005	Clear laminted black/ orange printed white paper sticker (Label)	

Regd. Office:

TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Sample	Description	Photo
006	Matt-black plastic w/ pale black plastic (Part of plug)	
007	Black plated metal (USB plug)	
008	Black plated metal (Plug)	
009	Silver color metal (Metal house of USB plug)	
010	Snow white plastic (Part on USB plug)	

Regd. Office:

TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
 Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>

Lab 1 - Chemical testing and part of
 electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Sample	Description	Photo
011	Silver color metal (Metal house of plug)	
012	Silver color metal (Metal house of apple plug)	
013	Silver color metal (Type-c plug)	

Regd. Office:

TüV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
 Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com




Web : <http://www.tuvsud.cn>

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Sample	Description	Photo
014	White PCB w/ white/ black printing (PCB board)	
017	Matt-black soft plastic (Wire jacket)	
018	Black coating (Main body)	

T. No	Sample	Description
T1	001	Bright silver color metal (Ring)
T2	002	Silver color metal (Nail of ring)
T3	003	Black/ silver coating (Main body)
T4	004	White plastic (Main body)
T5	005	Clear laminted black/ orange printed white paper sticker (Label)
T6	006	Matt-black plastic w/ pale black plastic (Part of plug)
T7	007	Black plated metal (USB plug)

Regd. Office: TüV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
 Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: info@tuv sud.com
 Web : http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test: Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

T. No	Sample	Description
T8	008	Black plated metal (Plug)
T9	009	Silver color metal (Metal house of USB plug)
T10	010	Snow white plastic (Part on USB plug)
T11	011	Silver color metal (Metal house of plug)
T12	012	Silver color metal (Metal house of apple plug)
T13	013	Silver color metal (Type-c plug)
T14	014	White PCB w/ white/ black printing (PCB board)
T15	017	Matt-black soft plastic (Wire jacket)
T16	018	Black coating (Main body)



Regd. Office:

TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : <http://www.tuvsud.cn>

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China



Test Result(s):

1. US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test with reference to microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
003	mg/kg	10	75	N.D.	Pass

2. US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test with reference to acid digestion or microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
001	mg/kg	10	75	N.D.	Pass
002	mg/kg	10	75	N.D.	Pass
004+005+010	mg/kg	10	75	N.D.	Pass
006	mg/kg	10	75	N.D.	Pass
007	mg/kg	10	75	N.D.	Pass
008	mg/kg	10	75	N.D.	Pass
009	mg/kg	10	75	N.D.	Pass
011	mg/kg	10	75	N.D.	Pass
012	mg/kg	10	75	N.D.	Pass
013	mg/kg	10	75	N.D.	Pass

3. US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test with reference to microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
003	mg/kg	10	90	N.D.	Pass

4. US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test with reference to acid digestion or microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
001	mg/kg	10	100	N.D.	Pass
002	mg/kg	10	100	57.5	Pass
004+005+010	mg/kg	10	100	N.D.	Pass
006	mg/kg	10	100	N.D.	Pass
007	mg/kg	10	100	N.D.	Pass
008	mg/kg	10	100	N.D.	Pass
009	mg/kg	10	100	N.D.	Pass

Regd. Office:

TüV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
 Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: info@tuv sud.com
 Web : http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

011	mg/kg	10	100	N.D.	Pass
012	mg/kg	10	100	40.4	Pass
013	mg/kg	10	100	N.D.	Pass

5. Phthalates Content (11P)

Test with reference to in-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS).

Parameter	CAS No.	Unit	MDL	Client's Limit	Result(s)	
					003	004+005+010
Diethyl phthalate(DEP)	84-66-2	%	0.005	0.1	N.D.	N.D.
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	N.D.	N.D.
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	N.D.	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.	N.D.
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.	N.D.
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Client's Limit	Result(s)
					006
Diethyl phthalate(DEP)	84-66-2	%	0.005	0.1	N.D.
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	N.D.
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.
Di-n-octyl phthalate,	117-84-0	%	0.005	0.1	N.D.

Regd. Office:

TüV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

(DNOP)					
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	0.029
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.
Conclusion					Pass

6. Tungsten Content Test

Test with reference to acid digestion and determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test items	Unit	MDL	Maximum Permissible Limit	Result(s)
				007
Tungsten(W)	mg/kg	10.0	-	N.D.
Conclusion				Report As Is

7. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Surface Coating Materials Regulations SOR/2016-193 and SOR/2022-122 - Total Mercury

Test with reference to microwave digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003	mg/kg	10	10.0	N.D.	Pass

8. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Surface Coating Materials Regulations SOR/2016-193 and SOR/2022-122 - Total Lead

Test method: Acid digestion or microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003	mg/kg	10	90	N.D.	Pass

9. Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test

Test with reference to acid digestion or microwave digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Limit	Result(s)	Conclusion
001	mg/kg	10	90	N.D.	Pass
002	mg/kg	10	90	57.5	Pass
003	mg/kg	10	90	N.D.	Pass

Regd. Office:

TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuv sud.com

Web : http://www.tuv sud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

004+005+010	mg/kg	10	90	N.D.	Pass
006	mg/kg	10	90	N.D.	Pass
007	mg/kg	10	90	N.D.	Pass
008	mg/kg	10	90	N.D.	Pass
009	mg/kg	10	90	N.D.	Pass
011	mg/kg	10	90	N.D.	Pass
012	mg/kg	10	90	40.4	Pass
013	mg/kg	10	90	N.D.	Pass

10. Total Nickel Content Test

Test with reference to acid digestion, determination by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Sample	Unit	MDL	Client's Limit	Result(s)	Conclusion
001	mg/kg	5	-	896.994	Report As Is
002	mg/kg	5	-	4526.238	Report As Is
007	mg/kg	5	-	87.616	Report As Is
008	mg/kg	5	-	197.388	Report As Is
009	mg/kg	5	-	7469.303	Report As Is
011	mg/kg	5	-	17922.431	Report As Is
012	mg/kg	5	-	25795.898	Report As Is
013	mg/kg	5	-	16831.776	Report As Is

11. U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P)

Test with reference to in-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS).

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					003	004+005+010
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	N.D.	N.D.
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.	N.D.
Conclusion					Pass	Pass

Regd. Office:

TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

Parameter	CAS No.	Unit	MDL	Limit	Result(s)
					006
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	N.D.
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	0.1	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	0.029
Di-n-pentyl phthalates (DnPP)	131-18-0	%	0.005	0.1	N.D.
Conclusion					Pass

12. US California Proposition 65 - Phthalates Content (6P)

Test with reference to in-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS).

Parameter	CAS No.	Unit	MDL	Client's Limit	Result(s)	
					003	004+005+010
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.	N.D.
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	N.D.	N.D.
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.	N.D.
Di-n-hexyl phthalate (DNHP)	84-75-3	%	0.005	0.1	N.D.	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	N.D.	N.D.
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Client's Limit	Result(s)
					006
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	N.D.
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	N.D.
Benzyl butyl phthalate,	85-68-7	%	0.005	0.1	N.D.

Regd. Office:

TüV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuv sud.com

Web : http://www.tuv sud.com

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

(BBP)					
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	N.D.
Di-n-hexyl phthalate (DNHP)	84-75-3	%	0.005	0.1	N.D.
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	0.029
Conclusion					Pass

13. Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)

Test with reference to in- house method, determination by LC-MS/LC-MC-MS.

Compound	CAS No.	Unit	MDL	Client's Limit	Result(s)	
					004	
Perfluorooctanesulphonic acid 1H,1H,2H,2H (H4PFOS; 6:2)	27619-97-2	mg/kg	0.025	0.025	ND	
Perfluorooctanoic acid (PFOA)	335-67-1	mg/kg	0.025	0.025	ND	
Ammonium Pentadecafluorooctanoate (APFO)*	3825-26-1	mg/kg	0.025	0.025	ND	
Sodium perfluorooctanoate(Na-PFO)*	335-95-5	mg/kg	0.025	0.025	ND	
Potassium perfluorooctanoate(K-PFO)*	2395-00-8	mg/kg	0.025	0.025	ND	
Silver perfluorooctanoate(Ag-PFO)*	335-93-3	mg/kg	0.025	0.025	ND	
Perfluorooctanoyl fluoride(F-PFO)*	335-66-0	mg/kg	0.025	0.025	ND	
Perfluorooctansulfonate (PFOS)	1763-23-1	mg/kg	0.025	0.025	ND	
Perfluorooctane sulphonamide(PFOA)	754-91-6	mg/kg	0.025	0.025	ND	
perfluoro-1-octanesulfonyl fluoride (POSF/PFOF)*	307-35-7	mg/kg	0.025	0.025	ND	
Potassium perfluorooctanesulphonate(PFOS-K)*	2795-39-3	mg/kg	0.025	0.025	ND	
Ammonium perfluorooctanesulphonate(PFOS-NH4)*	29081-56-9	mg/kg	0.025	0.025	ND	
Didecyl(dimethyl)azanium;1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate(PFOS-DDA)*	251099-16-8	mg/kg	0.025	0.025	ND	
Perfluoro-1-octanesulfonic acid, diethanolamine salt(PFOS-NH(OH)2)*	70225-14-8	mg/kg	0.025	0.025	ND	
Lithium perfluorooctylsulfonate(PFOS-Li)*	29457-72-5	mg/kg	0.025	0.025	ND	
Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5	mg/kg	0.5	0.5	ND	
Heptadecafluorooctanesulfonic acid tetraethylammonium salt(PFOS-N(C2H5)4)*	56773-42-3	mg/kg	0.025	0.025	ND	
Methyl perfluorooctanoate (Me-PFOA)	376-27-2	mg/kg	0.5	0.5	ND	
Sodium Perfluoro-1-octanesulfonate(PFOS-Na)*	4021-47-0	mg/kg	0.025	0.025	ND	
Conclusion					Pass	

Compound	CAS No.	Unit	MDL	Client's Limit	Result(s)	
					014	017
Perfluorooctanesulphonic acid 1H,1H,2H,2H (H4PFOS; 6:2)	27619-97-2	mg/kg	1.0	1.0	ND	ND
Perfluorooctanoic acid (PFOA)	335-67-1	mg/kg	0.01	0.01	ND	ND
Ammonium Pentadecafluorooctanoate (APFO)*	3825-26-1	mg/kg	0.01	0.01	ND	ND

Regd. Office: TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: info@tuv sud.com
 Web : http://www.tuvsud.cn

Lab 1 - Chemical testing and part of electrical testing Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test: Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

Sodium perfluorooctanoate(Na-PFO)*	335-95-5	mg/kg	0.01	0.01	ND	ND
Potassium perfluorooctanoate(K-PFO)*	2395-00-8	mg/kg	0.01	0.01	ND	ND
Silver perfluorooctanoate(Ag-PFO)*	335-93-3	mg/kg	0.01	0.01	ND	ND
Perfluorooctanoyl fluoride(F-PFO)*	335-66-0	mg/kg	0.01	0.01	ND	ND
Perfluorooctansulfonate (PFOS)	1763-23-1	mg/kg	0.01	0.01	ND	ND
Perfluorooctane sulphonamide(PFOA)	754-91-6	mg/kg	0.01	0.01	ND	ND
perfluoro-1-octanesulfonylfluoride (POSF/PFOSF)*	307-35-7	mg/kg	0.01	0.01	ND	ND
Potassium perfluorooctanesulphonate(PFOS-K)*	2795-39-3	mg/kg	0.01	0.01	ND	ND
Ammonium perfluorooctanesulphonate(PFOS-NH4)*	29081-56-9	mg/kg	0.01	0.01	ND	ND
Didecyl(dimethyl)azanium;1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate(PFOS-DDA)*	251099-16-8	mg/kg	0.01	0.01	ND	ND
Perfluoro-1-octanesulfonic acid, diethanolamine salt(PFOS-NH(OH)2)*	70225-14-8	mg/kg	0.01	0.01	ND	ND
Lithium perfluorooctylsulfonate(PFOS-Li)*	29457-72-5	mg/kg	0.01	0.01	ND	ND
Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5	mg/kg	1.0	1.0	ND	ND
Heptadecafluorooctanesulfonic acid tetraethylammonium salt(PFOS-N(C2H5)4)*	56773-42-3	mg/kg	0.01	0.01	ND	ND
Methyl perfluorooctanoate (Me-PFOA)	376-27-2	mg/kg	1.0	1.0	ND	ND
Sodium Perfluoro-1-octanesulfonate(PFOS-Na)*	4021-47-0	mg/kg	0.01	0.01	ND	ND
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Client's Limit	Result(s)
					018
Perfluorooctanesulphonic acid 1H,1H,2H,2H (H4PFOS; 6:2)	27619-97-2	mg/kg	1.0	1.0	ND
Perfluorooctanoic acid (PFOA)	335-67-1	mg/kg	0.01	0.01	ND
Ammonium Pentadecafluorooctanoate (APFO)*	3825-26-1	mg/kg	0.01	0.01	ND
Sodium perfluorooctanoate(Na-PFO)*	335-95-5	mg/kg	0.01	0.01	ND
Potassium perfluorooctanoate(K-PFO)*	2395-00-8	mg/kg	0.01	0.01	ND
Silver perfluorooctanoate(Ag-PFO)*	335-93-3	mg/kg	0.01	0.01	ND
Perfluorooctanoyl fluoride(F-PFO)*	335-66-0	mg/kg	0.01	0.01	ND
Perfluorooctansulfonate (PFOS)	1763-23-1	mg/kg	0.01	0.01	ND
Perfluorooctane sulphonamide(PFOA)	754-91-6	mg/kg	0.01	0.01	ND
perfluoro-1-octanesulfonylfluoride (POSF/PFOSF)*	307-35-7	mg/kg	0.01	0.01	ND
Potassium perfluorooctanesulphonate(PFOS-K)*	2795-39-3	mg/kg	0.01	0.01	ND
Ammonium perfluorooctanesulphonate(PFOS-NH4)*	29081-56-9	mg/kg	0.01	0.01	ND
Didecyl(dimethyl)azanium;1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate(PFOS-DDA)*	251099-16-8	mg/kg	0.01	0.01	ND
Perfluoro-1-octanesulfonic acid, diethanolamine salt(PFOS-NH(OH)2)*	70225-14-8	mg/kg	0.01	0.01	ND
Lithium perfluorooctylsulfonate(PFOS-Li)*	29457-72-5	mg/kg	0.01	0.01	ND
Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5	mg/kg	1.0	1.0	ND
Heptadecafluorooctanesulfonic acid tetraethylammonium salt(PFOS-N(C2H5)4)*	56773-42-3	mg/kg	0.01	0.01	ND
Methyl perfluorooctanoate (Me-PFOA)	376-27-2	mg/kg	1.0	1.0	ND
Sodium Perfluoro-1-octanesulfonate(PFOS-Na)*	4021-47-0	mg/kg	0.01	0.01	ND

Regd. Office: TüV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
 Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
 Fax: +86 755 8828 5299
 E-mail: info@tuv sud.com
 Web : http://www.tuv sud.cn

Lab 1 - Chemical testing and part of electrical testing Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test: Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China

Test Report

No.: 68.431.23.1272.02

Date: 2023-04-11



Greater China

Conclusion	Pass
-------------------	-------------

Remark: * The test result is based on the calculation of selected marker(s) and to the worst-case scenario.

-End of Test Report-



Regd. Office:

TüV Süd Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District,
Shenzhen, Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : <http://www.tuvsud.cn>

Lab 1 - Chemical testing and part of electrical testing

Building 12&13, Zhiheng Wisdomland Business Park, Guankou Erlu, Nantou, Nanshan District, Shenzhen, Guangdong, China

Lab 2 - Physical & Mechanical Test:

Building A2, Jin'ao Industrial Park, No. 150, Jingfang Road, Fuhai, Baoan District, Shenzhen, Guangdong, China